Index to Volume 6

HYPERTENSION JANUARY-DECEMBER 1984

AUTHOR INDEX

Numbers preceded by A- represent abstract numbers of the Abstracts of the Council for High Blood Pressure Research, which appear on pages 780–793 of the September–October 1984 issue.

A

Abe K, 229
Åberg H, 557
Abernethy JD, 420, 774
Adragna N, 344
Akabane S, 391
Alexander N, 654
Alexander RW, A-38
Alhenc-Gelas F, 760
Altman DG, 209
Anderson AR, 307
Andersson OK, 814
Ando K, 184
Anversa P, 526
Arakawa K, 222
Archelos J, A-32
Ash KO, 159
Atkinson WJ, A-38
Atlas SA, A-15
Averbuch SD, A-9
Aviv A, 20
Ayers CR, 545

B

Badino L, 267
Baer PG, 861
Baier-Kustermann W, 843
Barker WF, 85
Barnes KL, 482, A-34
Barnett A, 489
Barron KW, 494
Bartorelli A, 586
Baruch D, 760
Bassenge E, 915
Batten CL, 519
Beaglehole R, 307
Beck FWJ, 639
Behrendt D, 431
Ben LK, 35
Berglund G, 329
Berman MA, 724
Bernstein KN, A-31
Bertramini-Sabbag LM, 255
Bing RF, 369, 454
Biollaz B, A-26
Biollaz J, A-26
Blaine EH, A-14, A-23
Blair ML, 855
Blaustein MP, 445, 724
Boer P, 132
Bogden JD, 20
Boger JS, A-23
Bohlen HG, 408
Bohr DF, 42, A-41
Bonacquisto LA, 360
Bonham AC, 494, A-16
Borghetti A, 826
Borkowski KR, A-29
Bouhnik J, 843
Bowers EJ, 85
Bradlaugh R, 454
Bravo EL, 167, A-4
Brickman AS, 536
Brisset J-M, 760
Brock TA, A-38
Brody MJ, 494, A-16
Brooks B, A-48
Brosius WL, A-48
Brown AJ, 675
Brown H, 717
Brown PS, A-48
Brunk SD, 906
Brunner DB, A-2
Brunner HR, 110, A-2, C-110
Buccafusco JJ, 614
Buckalew VM Jr, 468
Bumpus FM, A-4, A-49
Burns TL, 307
Burris J, A-43
Burton J, A-24

C

Cairns V, 124
Caldwell RM, 893
Callahan MG, A-50
Camargo MJ, A-15
Canali M, 826
Canessa M, 344
Cantin M, A-1, A-7
Carey RM, A-49
Carretero OA, A-19
Carroll RG, 622, 675
Cashman PMM, 209
Celio M, 843
Chen PS, 893
Chernicky CL, A-34
Cheung WY, A-45
Chiba S, 229
Chiu PJS, 489
Chobanian AV, A-37
Choi E, A-13
Clarke DA, 360
Clauser E, 843
Cole FE, A-18
Coleman TG, 68
Colfer HT, 145
Cooper R, 731
Corvol P, 593, 760, 843
Costas R Jr, 322
Cottier C, 145
Cowley AW Jr, 137, A-51
Cragoe EJ Jr, A-44
Cruz-Vidal M, 322

D

Dadone MM, 159
Dagher G, 352
Dahlheim H, 383
Dawson R, A-27
de Jesus WDP, 255
de Jong W, 899
De Léan A, A-1, A-7
de Simone G, 755
Deftos L, 639
des Combes BJ, C-110 (May–June)
Devereux RB, 574
Dickinson DP, 597
Doering A, 124
Doi Y, 627
Dolan LM, A-49
Dorer FE, 374
Douglas FL, A-9
Doussau M-P, 666
Doyle AE, 360
Duby A, A-13
Duclos J-M, 760
Dufloux M-A, 760
Dustan HP, 134
Dzau VJ, 1, i (May–June), 605
Dzielak DJ, 622

E

Earnhardt JT, 267
Egan B, 832
Eikenburg DC, 660
Ekstein LS, A-38
Elliott ME, A-17
Elsner D, 915
Elveback LR, 301

F

Faber JE, 494
Fagerberg B, 814
Fairchild C, 717
Falkner B, 344
Fejes-Tóth G, 926
Ferrara LA, 755
Ferrario CM, 482, A-34
Ferris TF, A-21
Field LJ, 597
Fineberg NS, 563
Firpo A, 75
Fletcher RD, A-54
Foster JM, 193
Fouad FM, 167, A-4
Fowler WL Jr, 503
Franco-Saenz R, 627
Freis ED, A-43, A-54
Friedman SM, 242
Frigon RP, 2
Frohlich ED, 934, A-18
Frölich JC, 926
Fujikawa J, 736
Fujita T, 184
Fujiwara K, 49
Fukase M, 736
Furspan PB, A-41

G

Ganguly A, 281, 563
Ganten D, i (May–June), A-32
Garay RP, 352
Garcia-Palmieri MR, 322
Gaux J-C, 760
Gavras H, A-26
Gavras I, A-26
Genest J, 682, A-1, A-7, A-12
Geyskes GG, 132
Gill J, A-4
Gimbrone MA Jr, A-38
Ginchereau EH, 202
Goldberg MR, 551
Goldstein DS, A-9
Gomez-Sanchez CE, 717
Goodfriend TL, A-17
Gordon DB, 132
Goto T, 229
Gottdiener JS, A-54
Gould BA, 209
Graham RM, 1, i (May–June), A-13

Granata AR, A-25
Granger HJ, 13
Greene LJ, 255
Grekin R, 832
Griffing GT, A-8
Grim CE, 281, 591
Gross C, 536
Gross KW, 597
Gruber KA, 468, A-50
Grunwald J, A-37
Guidicelli J-F, 666
Gupta DN, 906
Guthe CC, 42
Guthrie GP, 563
Gutkowska J, A-1, A-7
Guyenne TT, 760

H

Haber E, I, i (May–June), A-13
Haddy FJ, A-43, A-44
Hamberger L, 152
Hamilton BP, 724
Hamlyn JM, 724
Handa M, 236
Handysides G, 193
Hannaert P, 352
Harlan WR, 802
Harper SL, 408
Harrap SB, 360
Harris AL, 42
Harris PD, 27, 61
Harshfield GA, 574
Hartford M, 329
Haudenschild CC, A-37
Havlik RJ, 322
Haywood JR, 848
Heagerty AM, 369, 454
Hediger ML, 85
Hedner T, 814
Heistad DD, 633, A-39
Henry DP, 281
Henry JP, 437
Hentschel WM, 159
Herholz H, 152
Hermann K, A-32
Hess ME, 530
Heusser C, A-22
Higashino H, 20
Hinojosa C, 848
Hirata Y, 709
Hirose S, 931
Hiwada K, A-3
Hofbauer K, A-22
Holland OB, 717
Hollenberg NK, 92, 579
Holtz J, 915
Homcy CH, A-13, A-20
Hopwood BEC, 810
Horan M, A-46
Horie R, 49, 339, 736
Hornung RS, 209
Hörtnagel H, 152
Horwitz RI, 295
Hostetter TH, A-21
Hosutt JA, 202
Hsu CH, 893
Hull AL, 802
Hunt SC, 159
Huot S, A-43
Hutchins PM, 468

I

Ibsen H, 832
Iijima Y, A-3
Iino Y, 511
Ikeda M, 222, 391, 397
Ikemoto F, 837
Imaizumi T, 906, A-28
Imamura Y, A-3
Inagaki T, 275
Inagami T, 275, A-10
Israel A, A-33
Ito K, 391
Itoh S, A-19
Iwai J, 475, 709, A-40

J

Jacob ICM, 383
Jacob RG, A-53
Januszewicz A, A-18
Januszewicz P, A-1
Johns DW, 545
Johnsen A-M, A-53
Johnson AK, A-50
Johnson JA, 503
Johnston J, A-44
Jokelainen PT, A-41
Jones AW, 460
Joshua IG, 27, 61
Julius S, 115, 145, 832

K

Kahn JR, 374
Kamal LA, 568
Kaplan NM, 778
Kardon MB, A-18
Kasai Y, 229
Kasbergen CM, 689
Kass EH, 193, 199
Katholi RE, A-35
Katz SH, 85
Kawamura M, 391
Keil LC, 35
Keil U, 124
Keiser HR, A-9
Kentera D, 262
Khaw KT, 810
Khraibi AA, 622
Kieso HA, 209
Kihara M, 339, 736
King HE, 202
Kino M, 20
Kirby D, A-20
Kirby RG, A-50
Kirchner KA, 420
Klein MC, 468
Kleinbaum D, 124
Kleinert HD, 574, A-15
Kleinjans JCS, 689
Kogosov E, 654
Kohashi N, A-18
Kohlmann O Jr, A-26
Koike H, A-3
Koivunen DG, 503
Kokubu T, A-3
Kondo K, 236
Koolen MI, 820
Korner PI, 140
Kotchen TA, A-42
Kowarski AA, 724
Krasnoshtein G, 536
Krieger EM, 255
Kubota T, 249
Kuhnert LV, 717
Kumada M, A-25
Kumahara Y, 315

L

Laher I, 700
Lamb FS, A-11
Landis JR, 802
Lang RE, A-32
Lange J, A-40
Langford HG, 420
Lappe R, 494
Laragh JH, 574, A-15, A-52
Larbi E, 731
Larkin FA, 802
Lauer RM, 307
Lawrence D, 75
Lawton WJ, 175
Ledochowski M, 152
Lee DBN, 639
Lentz KE, 374
Levenson JA, 743
Levine LS, 75
Levine M, 374
Levy DJ, 75
Lewicki JA, A-15
Limas C, A-30
Limas CJ, A-30
Liu K, 731
Ljungman S, 329
Lohmeier TE, 67
Lombard JH, 530
London GM, 743
Lovenberg W, 49
Lymangrover JR, 468, A-50

M

Maack T, A-15
MacPhee AA, A-18
Maki M, A-10
Malchoff CD, A-49
Mallory WK, 574
Man in't Veld AJ, 100
Mancia G, 133
Mancini M, 755, 755
Mandal AK, 262
Mano M, 339, 736
Manolagas SC, 639
Marais GE, 193
Marion RM, 574
Maronde RF, 654
Marsh EA, A-14
Marson O, A-34
Maselli J, 35
Masuo K, 315
Matsueda R, A-3
Matsushima Y, 837
Maxwell MH, 536, 589
Mayes D, 536
Mayhan WG, A-39
Mayrovitz HN, 877
Mazack EK, A-14
McCann WP, A-35
McCarron D, A-6
McDonald RH, A-53
McGiff J, A-47
McGowan RA, 597
McPartland RP, 519
Mcrae-Degueurce A, A-50
Mecca TE, 887
Meininger GA, 27
Melby JC, A-8
Meldrum MJ, 267
Melissari M, 526
Ménard J, 760, 843, A-22
Meyer P, 568
Michailov ML, 383
Miller FN, 61
Miller L, 193
Miller RE, 202
Mills E, 54
Milner M, 369
Mirsky I, 475
Misono KS, A-10
Mitchell LD, A-50
Miura K, 837
Montanari A, 826
Moore TJ, 92
Morris C, A-6
Moura A-M, 425
Mugambi M, 810
Muirhead EE, 494, A-48
Mulrow PJ, 627
Murakami E, A-3
Murakami K, 931, A-5
Murphy WR, 68, 622
Myers JH, A-11

N

Nabika T, 339
Nakai M, 397
Nanas S, 731
Nara Y, 49, 339, 736
Náray-Fejes-Tóth A, 926
Naruse K, 275
Naruse M, 275
Nasjletti A, A-48
Needleman P, A-16
Nelson BJ, A-23
Neumayr M, 152
New MI, 75
Nicholls MG, 795
Niwa M, A-33
Norman RA Jr, 622
Notargiacomo A, A-54
Note S, 736
Novarini A, 826
Numao Y, A-25
Nussberger J, A-2
Nyhof RA, 13

O

Oberfield SE, 75
O'Connor DT, 2, A-31
Ogihara T, 315

Ohman LE, A-50
Ohtaka M, 736
Okunishi H, A-24
Olivetti G, 526
Omata K, 229
O'Neill TP, A-16
Oparil S, 134, A-27
Osterziel K, 832
Ostrow D, 731
Ott CE, A-42
Ouellette AJ, 605
Overbeck HW, 134, 647

P

Paller MS, A-21
Pamnani MB, A-43, A-44
Pandey K, A-10
Papedemetriou V, A-54
Pasanisi F, 755
Passmore JC, A-42
Payne CG, 503
Peach MJ, 216, A-36
Peart WS, 810
Pegram GL, A-18
Petty M, A-32
Pfeffer J, 475
Pfeffer MA, 475
Pfeifle B, 383
Pickering TG, 574
Pitcock JA, A-48
Pitha J, A-30
Porchet M, 110, C-110
Porter JP, A-16
Poston CW, 54
Poulter N, 810
Pratt RE, 605
Price M, 352, A-43, A-54
Pschorr J, 383

Q

Quan-Bui KHL, 568
Quinn P, A-29

R

Racz K, A-7
Raftery EB, 209
Ransom F, 654
Rapp JP, 519
Rascoe TG, 13
Ratge D, 926
Raynaud A, 760
Reeves RA, A-53
Reid IA, 35
Reis DJ, A-25
Reis ML, 255
Resnick LM, A-52
Richer C, 666
Rimondini A, 586
Ringel RE, 724
Risk M, 717
Roberts LJ II, 285
Robertson D, 551
Rocchini AP, 431
Roos JC, 420
Rose G, 810
Rosenthal JH, 383
Rosner B, 193
Roy JW, 877
Ruggiero DA, A-25

S

Saavedra JM, A-33
Sacks FM, 193, 199
Sadoshima S, 633
Saeed M, 915
Safar ME, 743
Saito H, 511
Sakamaki T, 503
Salazar J, 193
Sanchez R, 145
Sandor T, 579
Sanfillipo M, 868
Sani E, 826
Saruta T, 236
Sassard JE, 743
Sato K, 229
Saye JA, 216
Scarlett JD, 360
Schaeffer J, 724
Schalekamp MADH, 100
Schianchi P, 826
Schiffrin EL, 682
Schirger A, 301
Schmouder RL, 802
Schönitzer D, 152
Schwarz S, 152
Searle BM, 20
Seidman C, A-13
Seidman J, A-13
Seino M, 229
Sempos C, 731
Sen S, 75, A-4, A-49
Sever PS, 810
Seymour AA, A-14, A-23
Shapiro AP, 202, A-53
Sheps SG, 301
Shiigai T, 511
Silis V, 639
Simon AC, 743
Simon G, 709
Simoni I, 826
Singer HA, 216
Siripaisarnpipat S, 503
Skeggs LT Jr, 374
Skelton MM, A-51
Skrabal F, 152
Sladek CD, 855
Slater EE, A-23
Slugg RM, A-34
Smith J, A-13
Smith JB, 159
Smith PG, 54
Smith TL, 68
Smits JFM, 689
Sokoloff RL, 2
Sommer O, 915
Sorlie PD, 322
Sowers JR, 639
Spalvins A, 344
Sporer H, 152
Spragg J, A-24
Sprowell W, 159
Stamler J, 731
Stanek KA, 68
Steiber J, 124
Stekiel WJ, 530
Stephens-Larson P, 437
Stern N, 639
Stokes GS, 767
Stoner E, 75
Stoney CM, 868
Strömgren E, 557
Struyker Boudier HAJ, 689
Sullivan PA, 574
Sundlöf G, 557
Susic D, 262
Sutterer JR, 868
Suzuki H, 236
Swales JD, 369, 454, 777
Sweet CS, A-23
Swindall BT, A-44

T

Tajima J, 229
Takayanagi R, A-10
Takeuchi J, 511
Tamaki K, 633
Tamura H, 20
Tanase H, 49
Tanno M, 229
Tarazi RC, 167, A-4
Tardini A, 526
Taylor T, 92
Textor SC, 167
Thames MD, 906, A-28
Thomé FS, 682
Thompson FE, 802
Thurston H, 369, 454
Tibbetts C, A-10
Tillotson J, 322
Tobian L, 709, A-40
Tokushige A, 20
Tomita K, 511
Torretti BA, 115
Trevisan M, 731
Triggle C, 700
Trippodo NC, A-18
Tsunematsu T, 736
Tuck ML, 536

U

Uehara H, 931
Ueno N, 931
Ueshima H, 731
Ulm K, A-40
Umeda Y, 397
Unger T, A-32

V

van Brummelen P, 820
van den Buuse M, 899
van Essen H, 689
Van Horn L, 731
van't Veer F, 42
Vatner DE, A-20
Vatner SF, A-20
Vaughan ED Jr, A-15
Velasquez M, A-51
Vemulapalli S, 489
Versteeg DHG, 899
Vincenzi F, A-6
Vlachakis ND, 654
Volpe M, A-15

W

Wada H, 315
Wade JL, A-9
Waeber B, 110, A-2, C-110
Waks AU, 589
Wallentin I, 329
Wallin BG, 557
Warden DH, 460
Webb RC, 887, A-11
Weder AB, 115
Weinberger MH, 281, 563
Wenting GT, 100
Westfall TC, 267
White WB, 297
Whitescarver SA, A-42
Wiegman DL, 61
Wikstrand J, 329
Wiley JS, 360
Wilhelmsen L, 329
Wilkin LD, A-50
Williams GH, 92
Williams RR, 159
Williams SC, 545
Wilson TE, A-8
Woittiez AJJ, 100
Wold L, A-40
Wood DL, 301
Wood J, A-22
Wood PG, 199
Woodcock E, 654
Woods WT, A-35
Worcel M, 425
Wyss JM, A-27

X

Xiang J, A-32

Y

Yabe PY, A-3
Yamada T, 249
Yamamoto J, 397
Yamamoto K, 837
Yamane Y, 397
Yamatodani A, 315
Yamori Y, 49, 339, 736
Yasujima M, 229
Yokoyama H, 931
Yoshida K, 931
Yoshinaga K, 229
Yoshioka T, 397
Yukimura T, 837

Z

Zeigler DW, 503
Zusman RM, 1, i (May–June)

Index to Volume 6

HYPERTENSION JANUARY-DECEMBER 1984

SUBJECT INDEX

A

Abstracts, Council for High Blood Pressure Research
Abstracts of the Council for High Blood Pressure Research, 779
Accelerated hypertension, *see* Hypertension, accelerated
Acetylcholine
Cholinergic stimulation of vasopressin release in spontaneously hypertensive rats, 855
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
ACTH, *see* Adrenocorticotropic hormone
Adenocarcinoma
Tumor-dependent hypertension, 593
Adenoma
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Adenosine
Endogenous intrarenal adenosine produces hypertension via afferent renal nerves in the one-kidney one-clip rat, A-35
Adolescents
Concurrent validity studies of blood pressure instrumentation: the Philadelphia Blood Pressure Project, 85
Adrenal cortex
Immunoreactive renin in mouse adrenal gland, 275
Adrenal gland
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Autoradiographic studies on anterior pituitary and adrenomedullary angiotensin II receptors in spontaneously hypertensive rats, A-33
Converting-enzyme inhibition corrects the altered adrenal response to angiotensin II in essential hypertension, 92
Effects of atrial natriuretic factor on adrenal glomerulosa cells, A-17
Epinephrine facilitates neurogenic vasoconstriction, A-29
Further evaluation of saline infusion for the diagnosis of primary aldosteronism, 717
Human chromogranin A (CgA), the major catecholamine storage vesicle (CSV) soluble protein: purification from CSV of pheochromocytoma (Pheo), quantitation by RIA, and evaluation of plasma CgA (pCgA) as an index of exocytotic sympathoadrenal activity in normal and hypertensive man, A-31
Immunoreactive renin in mouse adrenal gland, 275
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Rapid cyclic fluctuations of blood pressure associated with an adrenal pheochromocytoma, 281
Reduction of chronic psychosocial hypertension in mice by decaffeinated tea, 437
A specific receptor for atrial natriuretic factor mediates inhibition of steroidogenesis in cultured bovine adrenal cells, A-7
Adrenal medulla
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2
Adrenalectomy
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Adrenergic receptor blockade
Rapid cyclic fluctuations of blood pressure associated with an adrenal pheochromocytoma, 281
Sympathetic outflow to muscles during treatment of hypertension with metoprolol, 557
Sympathetic vasoconstriction sensitive to alpha$_2$-adrenergic receptor blockade, 915
Adrenergic receptor system
5-HT, alpha-adrenoceptors, and blood pressure: effects of ketanserin in essential hypertension and autonomic insufficiency, 100
Adrenergic activity and peripheral hemodynamics in relation to sodium sensitivity in patients with essential hypertension, 820
Autoradiographic studies on anterior pituitary and adrenomedullary angiotensin II receptors in spontaneously hypertensive rats, A-33
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Evidence for the existence of vascular alpha$_2$-adrenergic receptors in humans, 551
Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Reciprocal changes in β-adrenergic and cholinergic receptors in renal hypertension, A-20
Renal and systemic hemodynamics in sustained essential hypertension, 743
Sodium-induced attenuation in vivo of alpha$_2$ adrenoceptor agonist function, A-26
Sympathetic activity and cardiac adrenergic receptors in one-kidney, one clip hypertension in rats, 654
Adrenocorticotrophic hormone (ACTH)
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Natriuretic and hypertensive activities reside in a fragment of ACTH, 468
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35
Age
High blood pressure in older Americans, 802
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Albumin
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633
Alcohol
Alcohol consumption as a risk factor for high blood pressure: Munich Blood Pressure Study, 124
High blood pressure in older Americans, 802
Aldehyde
Highly potent and specific inhibitors of human renin, A-3
Aldosterone
Additive effects of aldosterone with vasopressin or angiotensin, 242
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Converting-enzyme inhibition corrects the altered adrenal response to angiotensin II in essential hypertension, 92
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425
Further evaluation of saline infusion for the diagnosis of primary aldosteronism, 717
Hemodynamic and antihypertensive effects of the new oral angiotensin-converting-enzyme inhibitor MK-421, 167
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Vascular angiotensin II receptors in SHR, 682

Aldosterone inhibition
Blood pressure and aldosterone reduction by synthetic atrial natriuretic factor (ANF) in renin-dependent renovascular hypertension, A-15
Effects of atrial natriuretic factor on adrenal glomerulosa cells, A-17
Aldosterone-stimulating factor
Aldosterone stimulating factor (ASF) in man: physiologic and pathophysiologic significance, A-49
Regulation of a new aldosterone-stimulating factor in primary aldosteronism, A-4
Aldosteronism
Blood pressure and aldosterone reduction by synthetic atrial natriuretic factor (ANF) in renin-dependent renovascular hypertension, A-15
Regulation of a new aldosterone-stimulating factor in primary aldosteronism, A-4
Alpha-adrenergic antagonists
Noradrenergic transmission in the isolated portal vein of the spontaneously hypertensive rat, 267
Sympathetic vasoconstriction sensitive to alpha$_2$-adrenergic receptor blockade, 915
Alpha-adrenergic receptors
5-HT, alpha-adrenoceptors, and blood pressure: effects of ketanserin in essential hypertension and autonomic insufficiency, 100
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Evidence for the existence of vascular alpha$_2$-adrenergic receptors in humans, 551
Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Presynaptic control of norepinephrine release in the spontaneously hypertensive rat (SHR), A-27
Sodium-induced attenuation in vivo of alpha$_2$-adrenoceptor agonist function, A-26
Sympathetic vasoconstriction sensitive to alpha$_2$-adrenergic receptor blockade, 915
Ambulatory blood pressure
Ambulatory blood pressure recordings: reproducibility and unpredictability, C-110 (May–June)
Evaluation of Remler M2000 blood pressure recorder, 209
Analog
Highly specific substrate analog inhibitors of human urinary kallikrein, A-24
Androgen
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Angiotensin
Additive effects of aldosterone with vasopressin or angiotensin, 242
Angiotensin increases cytosolic free calcium concentration in cultured vascular smooth muscle cells, A-38
Effects of captopril on vascular noradrenergic transmission in SHR, 660
Evidence for an extrarenal source of inactive renin in rats, 627
Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Noradrenergic transmission in the isolated portal vein of the spontaneously hypertensive rat, 267
Purification of hog kidney renin with immobilized monoclonal antirenin, 374
Angiotensin I
Angiotensin-(1-8)octapeptide but not immunoreactive "angiotensin II" disappears from plasma under converting enzyme inhibition, A-2
Hemodynamic and antihypertensive effects of the new oral angiotensin-converting-enzyme inhibitor MK-421, 167
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843
Role of endothelium in conversion of angiotensin I to angiotensin II in rabbit aorta, 216
Angiotensin II
Acute local effects of angiotensin II on the intestinal vasculature, 13
Angiotensin-(1-8)octapeptide but not immunoreactive "angiotensin II" disappears from plasma under converting enzyme inhibition, A-2
Autoradiographic studies on anterior pituitary and adrenomedullary angiotensin II receptors in spontaneously hypertensive rats, A-33
Chronic angiotensin II infusion decreases renal norepinephrine overflow in conscious dogs, 675
Comparison of renin and converting enzyme inhibition (CEI) on blood pressure (BP) and plasma angiotensin II of Na-deficient dogs, A-23
Converting-enzyme inhibition corrects the altered adrenal response to angiotensin II in essential hypertension, 92
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Hypertension-producing factor in serum of hypertensive Dahl salt-sensitive rats, 709
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Pressor hyperresponsiveness in saline-infused rabbits, 503
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Role of endothelium in conversion of angiotensin I to angiotensin II in rabbit aorta, 216
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35
Vascular angiotensin II receptors in SHR, 682
Angiotensinases
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Angiotensinogen
Angiotensinogen-producing hepatocellular carcinoma, 931
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843
Animal studies, cow
A specific receptor for atrial natriuretic factor mediates inhibition of steroidogenesis in cultured bovine adrenal cells, A-7
Animal studies, dog
Angiotensin dependent hypertension in the dog does not involve the AV3V region, A-34
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Chronic angiotensin II infusion decreases renal norepinephrine overflow in conscious dogs, 675
Comparison of renin and converting enzyme inhibition (CEI) on blood pressure (BP) and plasma angiotensin II of Na-deficient dogs, A-23
Effects of sodium depletion on inactive and active renin from dog kidney and plasma, 391
Location of the area postrema pressor pathway in the dog brain stem, 482
Polyuria, polydypsia, and hypertension produced by a six-day intravenous infusion of prostaglandin E_1 in the conscious dog, 431
Reciprocal changes in β-adrenergic and cholinergic receptors in renal hypertension, A-20
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35
Sodium channel blockers are vasodilator and depressor as well as natriuretic and diuretic, A-44
Sympathetic vasoconstriction sensitive to alpha$_2$-adrenergic receptor blockade, 915
Urinary excretion of renin and its biochemical properties in dogs, 837
Animal studies, mouse
Immunoreactive renin in mouse adrenal gland, 275
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Purification of hog kidney renin with immobilized monoclonal antirenin, 374
Reduction of chronic psychosocial hypertension in mice by decaffeinated tea, 437
Tissue and gene specificity of mouse renin expression, 597

Animal studies, pig
Purification of hog kidney renin with immobilized monoclonal antirenin, 374

Animal studies, rabbit
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Effects of sinoaortic denervation and of spinal cord transection on responses of renal nerves to intravenous vasopressin, A-28
Kininogenase activity of tonin, 222
Pressor hyperresponsiveness in saline-infused rabbits, 503
Purification of hog kidney renin with immobilized monoclonal antirenin, 374
Role of endothelium in conversion of angiotensin I to angiotensin II in rabbit aorta, 216

Animal studies, rat
Additve effects of aldosterone with vasopressin or angiotensin, 242
Alterations in vascular sensitivity to vasoactive agents after discontinuation of propranolol in SHR, 249
Antihypertensive effect of MK-421 in rats, 229
The area of rostral ventrolateral medulla containing C1 adrenaline neurons mediates the hypertension produced by lesions of A1 noradrenergic neurons, A-25
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Autoradiographic studies on anterior pituitary and adrenomedullary angiotensin II receptors in spontaneously hypertensive rats, A-33
Blood pressure, lanthanum-, and norepinephrine-induced mechanical response in thoracic aortic tissue, 700
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Cardiovascular hemodynamics and vasopressin blockade in DOCA-salt hypertensive rats, 397
Cholinergic stimulation of vasopressin release in spontaneously hypertensive rats, 855
Chronic arterial and venous catheterization of conscious, unrestrained rats, 926
Connective tissue accumulation in the left coronary artery of young SHR, 526
Contribution of vasopressin and the sympathetic nervous system in the early phase of high sodium one-kidney renal hypertension, 848
Dexamethasone hypertension in rats, 236
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425
Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
Effects of captopril on vascular noradrenergic transmission in SHR, 660
Effects of dietary protein in experimental renovascular hypertension, A-21
Effects of DOC-salt hypertension on migration of aortic smooth muscle cells, A-37
Effects of graded renal artery constriction on blood pressure, renal artery pressure, and plasma renin activity in Goldblatt hypertension, 68
Effects of high calcium intake on blood pressure and calcium metabolism in young SHR, 639
Endogenous intrarenal adenosine produces hypertension via afferent renal nerves in the one-kidney one-clip rat, A-35
Enhanced synthesis of cardiac beta-receptors in spontaneously hypertensive rats, A-30
Evidence for an extrarenal source of inactive renin in rats, 627
Genetic relationship between a lymphocyte membrane abnormality and blood pressure in spontaneously hypertensive stroke prone (SHRSP) and Wistar Kyoto (WKY) rats, A-41
Hemodynamic effects of chronic alteration in hematocrit in spontaneously hypertensive rats, 262
Hypertension-producing factor in serum of hypertensive Dahl salt-sensitive rats, 709
Importance of Cl and Na for NaCl dependent hypertension, A-42
Increased levels of new spasmogenic substances released by trypsin from plasma of hypertensive rats, 255
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511
Induction to a maximum of the hypertensive function of the kidney by captopril, A-48
Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Inhibitory effect of the synthetic atrial natriuretic factor on vasopressin release from the isolated neurohypophysis of the rat, A-1
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Is the hypertensive rat really hyperreactive? 868
Isoelectric focusing patterns of urinary kallikrein in Dahl salt-hypertension susceptible and resistant rats, 519
K prevents stroke death in hypertensive rats without lowering BP, A-40
Mechanism of phasic contractile activity in tail arteries from spontaneously hypertensive stroke-prone rats (SHR-SP), A-11
Microvascular adaptation in the cerebral cortex of adult spontaneously hypertensive rats, 408
Microvascular pressure, flow, and resistance in spontaneously hypertensive rats, 877
Molecular biology of atrial natriuretic factor, A-13
Natriuretic and hypertensive activities reside in a fragment of ACTH, 468
Natriuretic and hypotensive responses to synthetic atrial natriuretic factor in conscious hypertensive rats, A-14
Neural and local control of arterioles in SHR, 530
Noradrenergic transmission in the isolated portal vein of the spontaneously hypertensive rat, 267
Platelet activation of atrial natriuretic peptides, A-18
Possible role of nutritional factors in the incidence of cerebral lesions in stroke-prone spontaneously hypertensive rats, 49
Presynaptic control of norepinephrine release in the spontaneously hypertensive rat (SHR), A-27
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843
Progressive microvascular alterations with the development of renovascular hypertension, 61
Rat thymocyte sodium transport, 454
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Role of renal papillae in the regulation of sodium excretion during acute elevation of renal perfusion pressure in the rat, 893
Role of the renal nerves in one-kidney, one clip hypertension in rats, 622
Sodium-induced attenuation in vivo of $alpha_2$ adrenoceptor agonist function, A-26
Temperature dependence and bidirectional cation fluxes in red blood cells from spontaneously hypertensive rats, 42
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Vascular angiotensin II receptors in SHR, 682
Vascular responses to serotonin in steroid hypertensive rats, 887
Vasopressor hyperresponsiveness in New Zealand genetically hypertensive rats, 861

Antibodies
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843
Purification of hog kidney renin with immobilized monoclonal antirenin, 374
Urinary excretion of renin and its biochemical properties in dogs, 837

Antidiuretic hormone
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511
Role of cardiopulmonary mechanoreceptors in ADH release in normal humans, 832

Antihypertensive actions
Beta-blockers, autoregulation, and experimental design, 140
Blood pressure and aldosterone reduction by synthetic atrial natriuretic factor (ANF) in renin-dependent renovascular hypertension, A-15
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489

Contributions of autoregulatory mechanisms to the antihypertensive actions of beta-adrenergic therapy, 137
Effect of antihypertensive treatment on the behavioral consequences of elevated blood pressure, 202
Hemodynamic and antihypertensive effects of the new oral angiotensin-converting-enzyme inhibitor MK-421, 167
Hemodynamic and endocrine changes associated with potassium supplementation in sodium-loaded hypertensives, 184
Induction to a maximum of the hypertensive function of the kidney by captopril, A-48
Left ventricular mass reduction during salt depletion in arterial hypertension, 755
Management of hypertension during lactation, 297
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Sodium channel blockers are vasodilator and depressor as well as natriuretic and diuretic, A-44

Antimineralocorticoids
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425

Antirenin
Purification of hog kidney renin with immobilized monoclonal antirenin, 374
Urinary excretion of renin and its biochemical properties in dogs, 837

Aorta
Blood pressure, lanthanum-, and norepinephrine-induced mechanical response in thoracic aortic tissue, 700
Effects of DOC-salt hypertension on migration of aortic smooth muscle cells, A-37
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Role of endothelium in conversion of angiotensin I to angiotensin II in rabbit aorta, 216
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460

Arachidonic acid
State of the art lecture: a novel renal pathway of arachidonic acid metabolism for blood pressure regulation, A-47

Area postrema
Location of the area postrema pressor pathway in the dog brain stem, 482

Arrhythmia
Effect of diuretic therapy on ventricular arrhythmias in hypertensive patients with or without LVH, A-54

Arterial hypertension, *see* Hypertension, arterial

Arterioles
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Neural and local control of arterioles in SHR, 530
Progressive microvascular alterations with the development of renovascular hypertension, 61
Role of the macula densa in renin release, A-19

Arteriosonde 1216
Concurrent validity studies of blood pressure instrumentation: the Philadelphia Blood Pressure Project, 85

Artery catheterization
Chronic arterial and venous catheterization of conscious, unrestrained rats, 926

Artery strips
Vascular responses to serotonin in steroid hypertensive rats, 887

Atenolol
Relaxation, pharmacotherapy and their interaction in the treatment of mild hypertension, A-53

Atrial natriuretic factor
Baroreflex dependent hemodynamic effects of synthetic atriopeptins, A-16
Effects of atrial natriuretic factor on adrenal glomerulosa cells, A-17
Inhibitory effect of the synthetic atrial natriuretic factor on vasopressin release from the isolated neurohypophysis of the rat, A-1
Molecular biology of atrial natriuretic factor, A-13
Natriuretic and hypotensive responses to synthetic atrial natriuretic factor in conscious hypertensive rats, A-14
A specific receptor for atrial natriuretic factor mediates inhibition of steroidogenesis in cultured bovine adrenal cells, A-7
The structure of atrial natriuretic factor precursor by cloning and sequence analysis of cDNA, A-10

Atriopeptins
Baroreflex dependent hemodynamic effects of synthetic atriopeptins, A-16

Australian Therapeutic Trial in Mild Hypertension
The Australian Therapeutic Trial in Mild Hypertension. Letter, 774

Autonomic insufficiency
5-HT, alpha-adrenoceptors, and blood pressure: effects of ketanserin in essential hypertension and autonomic insufficiency, 100

Autoradiography
Autoradiographic studies on anterior pituitary and adrenomedullary angiotensin II receptors in spontaneously hypertensive rats, A-33

Autoregulation
Beta-blockers, autoregulation, and experimental design, 140
Contributions of autoregulatory mechanisms to the antihypertensive actions of beta-adrenergic therapy, 137
Location of the area postrema pressor pathway in the dog brain stem, 482
Neural and local control of arterioles in SHR, 530
Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents, 145

B

Baroreflex
Baroreflex dependent hemodynamic effects of synthetic atriopeptins, A-16
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906

Baumanometer
Concurrent validity studies of blood pressure instrumentation: the Philadelphia Blood Pressure Project, 85

Behavior
Effect of antihypertensive treatment on the behavioral consequences of elevated blood pressure, 202
Is the hypertensive rat really hyperreactive? 868
Vasopressor hyperresponsiveness in New Zealand genetically hypertensive rats, 861

Beta-adrenergic receptor antagonists
Sympathetic outflow to muscles during treatment of hypertension with metoprolol, 557

Beta-adrenergic receptors
Enhanced synthesis of cardiac beta-receptors in spontaneously hypertensive rats, A-30
Epinephrine facilitates neurogenic vasoconstriction, A-29
Reciprocal changes in β-adrenergic and cholinergic receptors in renal hypertension, A-20

Beta-adrenergic therapy
Beta-blockers, autoregulation, and experimental design, 140
Contributions of autoregulatory mechanisms to the antihypertensive actions of beta-adrenergic therapy, 137
Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents, 145

Beta blockers
Beta-blockers, autoregulation, and experimental design, 140
Contributions of autoregulatory mechanisms to the antihypertensive actions of beta-adrenergic therapy, 137
Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents, 145

Biochemical markers
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2

Bioflavonoids
Reduction of chronic psychosocial hypertension in mice by decaffeinated tea, 437

Black population
Blood pressure and associated factors in a rural Kenyan community, 810

Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
Humoral Na^+-K^+ pump inhibiting factor in human essential hypertension and normotensive subjects before and after volume expansion, A-43
Hypertensive cardiovascular disease, 934
Racial differences in erythrocyte cation transport, 115
Red cell cotransport activity and sodium content in black men, 724
Red cell sodium countertransport and cotransport in normotensive and hypertensive blacks, 344
Blood-brain barrier
Hypertensive and osmotic disruption of the blood-brain barrier: vesicles or tight junctions? A-39
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633
Blood cross-circulation
Microvascular pressure, flow, and resistance in spontaneously hypertensive rats, 877
Pressor hyperresponsiveness in saline-infused rabbits, 503
Blood pressure measurement
Ambulatory blood pressure recordings: reproducibility and unpredictability, C-110 (May–June)
Chronic arterial and venous catheterization of conscious, unrestrained rats, 926
Concurrent validity studies of blood pressure instrumentation: the Philadelphia Blood Pressure Project, 85
Correction to graph in Mancia G: Methods for assessing blood pressure values in humans. *Hypertension* 5(Suppl III):III-5–III-13, 1983, 133
Evaluation of Remler M2000 blood pressure recorder, 209
Factors related to tracking of blood pressure in children, 307
What is the value of home blood pressure measurement in patients with mild hypertension? 574
Blood pressure regulation
Alterations in vascular sensitivity to vasoactive agents after discontinuation of propranolol in SHR, 249
Beta-blockers, autoregulation, and experimental design, 140
Blood pressure, lanthanum-, and norepinephrine-induced mechanical response in thoracic aortic tissue, 700
Contributions of autoregulatory mechanisms to the antihypertensive actions of beta-adrenergic therapy, 137
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
Hypertension-producing factor in serum of hypertensive Dahl salt-sensitive rats, 709
Lack of an effect of dietary saturated fat and cholesterol on blood pressure in normotensives, 193
Rapid cyclic fluctuations of blood pressure associated with an adrenal pheochromocytoma, 281
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Stability of blood pressure in vegetarians receiving dietary protein supplements, 199
State of the art lecture: a novel renal pathway of arachidonic acid metabolism for blood pressure regulation, A-47
Sympathetic outflow to muscles during treatment of hypertension with metoprolol, 557
Blood vessel
Additve effects of aldosterone with vasopressin or angiotensin, 242
Blood volume
Hemodynamic and antihypertensive effects of the new oral angiotensin-converting-enzyme inhibitor MK-421, 167
Importance of dietary salt in the hemodynamic adjustment to weight reduction in obese hypertensive men, 814
Body mass index
High blood pressure in older Americans, 802
Importance of dietary salt in the hemodynamic adjustment to weight reduction in obese hypertensive men, 814
Book review
Hypertension: physiopathology and treatment, 2nd ed. Book review, 777; 778
Brain
The area of rostral ventrolateral medulla containing C1 adrenaline neurons mediates the hypertension produced by lesions of A1 noradrenergic neurons, A-25
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
Gamma$_2$ (γ_2) MSH: a hypertensogenic peptide derived from proopiocortin, A-50
Hypertensive and osmotic disruption of the blood-brain barrier: vesicles or tight junctions? A-39
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633
Location of the area postrema pressor pathway in the dog brain stem, 482
Microvascular adaptation in the cerebral cortex of adult spontaneously hypertensive rats, 408
Possible role of nutritional factors in the incidence of cerebral lesions in stroke-prone spontaneously hypertensive rats, 49
Role of brain dopamine in the development of spontaneous hypertension, 899
Sodium-induced attenuation in vivo of alpha$_2$ adrenoceptor agonist function, A-26
Brattleboro rat
Chronic arterial and venous catheterization of conscious, unrestrained rats, 926
Breast feeding
Management of hypertension during lactation, 297
Bromoethylamine hydrobromide
Role of renal papillae in the regulation of sodium excretion during acute elevation of renal perfusion pressure in the rat, 893

C

Cadmium
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Caffeine
Reduction of chronic psychosocial hypertension in mice by decaffeinated tea, 437
Calcium
Angiotensin increases cytosolic free calcium concentration in cultured vascular smooth muscle cells, A-38
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Ca^{2+} ATPase in human hypertension, A-6
Does 1,25 dihydroxyvitamin D (1,25D) cause low renin hypertension? A-52
Effects of high calcium intake on blood pressure and calcium metabolism in young SHR, 639
High blood pressure in older Americans, 802
Milk consumption, calcium intake, and decreased hypertension in Puerto Rico, 322
Vascular responses to serotonin in steroid hypertensive rats, 887
Calmodulin
Arthur C. Corcoran Memorial Lecture: biological functions of calmodulin, A-45
Cancer
Angiotensinogen-producing hepatocellular carcinoma, 931
Chemotherapy of malignant pheochromocytoma in man, A-9
Tumor-dependent hypertension, 593
Captopril
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Effects of captopril on vascular noradrenergic transmission in SHR, 660
Induction to a maximum of the hypertensive function of the kidney by captopril, A-48
Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35

Cardiac factors
Additve effects of aldosterone with vasopressin or angiotensin, 242
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Cardiovascular hemodynamics and vasopressin blockade in DOCA-salt hypertensive rats, 397
Connective tissue accumulation in the left coronary artery of young SHR, 526
Diastolic function of the heart in untreated primary hypertension, 329
Dynorphins are neurotransmitters in cardiac sympathetic nerves, A-32
Effect of diuretic therapy on ventricular arrhythmias in hypertensive patients with or without LVH, A-54
Enhanced synthesis of cardiac beta-receptors in spontaneously hypertensive rats, A-30
Hemodynamic and antihypertensive effects of the new oral angiotensin-converting-enzyme inhibitor MK-421, 167
Hemodynamic and endocrine changes associated with potassium supplementation in sodium-loaded hypertensives, 184
Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in consicous rats, 689
Hypertensive cardiovascular disease, 934
Left ventricular mass reduction during salt depletion in arterial hypertension, 755
Location of the area postrema pressor pathway in the dog brain stem, 482
Natriuretic and hypertensive activities reside in a fragment of ACTH, 468
Pressor hyperresponsiveness in saline-infused rabbits, 503
Renal and systemic hemodynamics in sustained essential hypertension, 743
Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents, 145
Role of cardiopulmonary mechanoreceptors in ADH release in normal humans, 832
Sympathetic activity and cardiac adrenergic receptors in one-kidney, one clip hypertension in rats, 654

Cardioaccelerator actions
Natriuretic and hypertensive activities reside in a fragment of ACTH, 468

Cardiopulmonary receptors
Role of cardiopulmonary mechanoreceptors in ADH release in normal humans, 832

Carotid baroreflex
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906

Carotid sinus afferents
Location of the area postrema pressor pathway in the dog brain stem, 482

Catecholamines
Angiotensin dependent hypertension in the dog does not involve the AV3V region, A-34
Chronic angiotensin II infusion decreases renal norepinephrine overflow in conscious dogs, 675
Chronic arterial and venous catheterization of conscious, unrestrained rats, 926
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2
Presynaptic control of norepinephrine release in the spontaneously hypertensive rat (SHR), A-27
Rapid cyclic fluctuations of blood pressure associated with an adrenal pheochromocytoma, 281
Role of brain dopamine in the development of spontaneous hypertension, 899
Sympathetic activity and cardiac adrenergic receptors in one-kidney, one clip hypertension in rats, 654
Vasomotion of renal blood flow in essential hypertension, 579

Catecholamines, storage vesicle
Human chromogranin A (CgA), the major catecholamine storage vesicle (CSV) soluble protein: purification from CSV of pheochromocytoma (Pheo), quantitation by RIA, and evaluation of plasma CgA (pCgA) as an index of exocytotic sympathoadrenal activity in normal and hypertensive man, A-31
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2

Catheterization
Chronic arterial and venous catheterization of conscious, unrestrained rats, 926

Cations
Additive effects of aldosterone with vasopressin or angiotensin, 242
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Red cell sodium countertransport and cotransport in normotensive and hypertensive blacks, 344

Caudal ventrolateral medulla
The area of rostral ventrolateral medulla containing C1 adrenaline neurons mediates the hypertension produced by lesions of A1 noradrenergic neurons, A-25

Central nervous system
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
Location of the area postrema pressor pathway in the dog brain stem, 482
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494

Cerebral cortex
Microvascular adaptation in the cerebral cortex of adult spontaneously hypertensive rats, 408

Cerebral edema
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633

Cerebral lesions
Possible role of nutritional factors in the incidence of cerebral lesions in stroke-prone spontaneously hypertensive rats, 49

Cerebrospinal fluid
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843

Chemotherapy
Chemotherapy of malignant pheochromocytoma in man, A-9

Children
Concurrent validity studies of blood pressure instrumentation: the Philadelphia Blood Pressure Project, 85
Factors related to tracking of blood pressure in children, 307
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Severe hypertension in childhood due to prolonged skin application of a mineralocorticoid ointment, 586

Chloride
Importance of Cl and Na for NaCl dependent hypertension, A-42
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460

Chlorthalidone
Relaxation, pharmacotherapy and their interaction in the treatment of mild hypertension, A-53

Cholesterol
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339
Lack of an effect of dietary saturated fat and cholesterol on blood pressure in normotensives, 193
Multivariate analysis of interrelationships between blood pressure, sodium, potassium, serum cholesterol, and protein intake in Japanese, 736

Cholinergic neurons
Cholinergic stimulation of vasopressin release in spontaneously hypertensive rats, 855
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614

Cholinergic receptors
Reciprocal changes in β-adrenergic and cholinergic receptors in renal hypertension, A-20

Chromaffin tissue
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2

Chromatography
Purification of hog kidney renin with immobilized monoclonal antirenin, 374

Chromogranin A
Human chromogranin A (CgA), the major catecholamine storage vesicle (CSV) soluble protein: purification from CSV of pheochromocytoma (Pheo), quantitation by RIA, and evaluation of plasma CgA (pCgA) as an index of exocytotic sympathoadrenal activity in normal and hypertensive man, A-31
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2
Cigarette smoking
Alcohol consumption as a risk factor for high blood pressure: Munich Blood Pressure Study, 124
Circulation
Pressor hyperresponsiveness in saline-infused rabbits, 503
Circulation, intestinal
Acute local effects of angiotensin II on the intestinal vasculature, 13
Clinical conference
Accelerated hypertension in a 64-year-old white woman, 767
Hypertensive cardiovascular disease, 934
Recurrent syncope due to systemic mastocytosis, 285
Tumor-dependent hypertension, 593
Clonidine
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
Cloning
Molecular biology of atrial natriuretic factor, A-13
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843
The structure of atrial natriuretic factor precursor by cloning and sequence analysis of cDNA, A-10
Cold pressor test
Cold pressor test as a predictor of hypertension, 301
Methodologic standards and the clinical usefulness of the cold pressor test, 295
Collagen
Connective tissue accumulation in the left coronary artery of young SHR, 526
Connective tissue
Connective tissue accumulation in the left coronary artery of young SHR, 526
Constant pressure perfusion
Sympathetic vasoconstriction sensitive to alpha$_2$-adrenergic receptor blockade, 915
Converting-enzyme inhibition
Angiotensin-(1-8) octapeptide but not immunoreactive "angiotensin II" disappears from plasma under converting enzyme inhibition, A-2
Antihypertensive effect of MK-421 in rats, 229
Comparison of renin and converting enzyme inhibition (CEI) on blood pressure (BP) and plasma angiotensin II of Na-deficient dogs, A-23
Converting-enzyme inhibition corrects the altered adrenal response to angiotensin II in essential hypertension, 92
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Hemodynamic and antihypertensive effects of the new oral angiotensin-converting-enzyme inhibitor MK-421, 167
Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Role of endothelium in conversion of angiotensin I to angiotensin II in rabbit aorta, 216
Cooperative study
Concurrent validity studies of blood pressure instrumentation: the Philadelphia Blood Pressure Project, 85
Corcoran, Arthur C., Memorial Lecture
Arthur C. Corcoran Memorial Lecture: biological functions of calmodulin, A-45
Coronary artery
Connective tissue accumulation in the left coronary artery of young SHR, 526
Corticosteroids
Reduction of chronic psychosocial hypertension in mice by decaffeinated tea, 437
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35
Cotransport
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
Interaction of internal Na^+ and external K^+ with the erythrocyte Na^+, K^+ cotransport system in essential hypertension, 352
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Racial differences in erythrocyte cation transport, 115
Red cell cotransport activity and sodium content in black men, 724
Sodium transport and hypertension, 445
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159
Countertransport
Effect of dietary sodium reduction on red blood cell sodium concentration and sodium-lithium countertransport, 731
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Racial differences in erythrocyte cation transport, 115
Red cell sodium countertransport and cotransport in normotensive and hypertensive blacks, 344
Sodium transport and hypertension, 445
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159
Cow, *see* Animal studies, cow
Cremaster muscle
Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Neural and local control of arterioles in SHR, 530
Progressive microvascular alterations with the development of renovascular hypertension, 61
Cushing's syndrome
Dexamethasone hypertension in rats, 236
Cytosolic-free calcium
Angiotensin increases cytosolic free calcium concentration in cultured vascular smooth muscle cells, A-38

D

Dahl rat
Blood pressure, lanthanum-, and norepinephrine-induced mechanical response in thoracic aortic tissue, 700
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Hypertension-producing factor in serum of hypertensive Dahl salt-sensitive rats, 709
Isoelectric focusing patterns of urinary kallikrein in Dahl salt-hypertension susceptible and resistant rats, 519
Deoxycorticosterone-salt (DOCA)
Cardiovascular hemodynamics and vasopressin blockade in DOCA-salt hypertensive rats, 397
Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Rat thymocyte sodium transport, 454
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Dermatitis
Severe hypertension in childhood due to prolonged skin application of a mineralocorticoid ointment, 586
Des-angiotensin I
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843
Desmethylimipramine
Role of brain dopamine in the development of spontaneous hypertension, 899

Dexamethasone
Dexamethasone hypertension in rats, 236
Diet
Blood pressure and associated factors in a rural Kenyan community, 810
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339
Effect of dietary sodium reduction on red blood cell sodium concentration and sodium-lithium countertransport, 731
Effects of dietary protein in experimental renovascular hypertension, A-21
Effects of high calcium intake on blood pressure and calcium metabolism in young SHR, 639
High blood pressure in older Americans, 802
Importance of Cl and Na for NaCl dependent hypertension, A-42
Importance of dietary salt in the hemodynamic adjustment to weight reduction in obese hypertensive men, 814
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Lack of an effect of dietary saturated fat and cholesterol on blood pressure in normotensives, 193
Milk consumption, calcium intake, and decreased hypertension in Puerto Rico, 322
Multivariate analysis of interrelationships between blood pressure, sodium, potassium, serum cholesterol, and protein intake in Japanese, 736
Possible role of nutritional factors in the incidence of cerebral lesions in stroke-prone spontaneously hypertensive rats, 49
Reduction of dietary sodium in Western society: benefit or risk? 795
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Sodium transport and hypertension, 445
Stability of blood pressure in vegetarians receiving dietary protein supplements, 199
Differential regulation
Tissue and gene specificity of mouse renin expression, 597
Dihydroxycholecalciferol
Effects of high calcium intake on blood pressure and calcium metabolism in young SHR, 639
Dihydroxymandelic acid
Sympathetic activity and cardiac adrenergic receptors in one-kidney, one clip hypertension in rats, 654
Dihydroxyphenylglycol
Sympathetic activity and cardiac adrenergic receptors in one-kidney, one clip hypertension in rats, 654
Dihydroxyvitamin D
Does 1,25 dihydroxyvitamin D (1,25D) cause low renin hypertension? A-52
Dilation
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Diuretics
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Effect of diuretic therapy on ventricular arrhythmias in hypertensive patients with or without LVH, A-54
Left ventricular mass reduction during salt depletion in arterial hypertension, 755
Sodium channel blockers are vasodilator and depressor as well as natriuretic and diuretic, A-44
DNA
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Molecular biology of atrial natriuretic factor, A-13
The structure of atrial natriuretic factor precursor by cloning and sequence analysis of cDNA, A-10
DOCA-salt hypertension, *See* Hypertension, DOCA-salt
Dog, *see* Animal studies, dog
Dopamine
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2
Renal and systemic hemodynamics in sustained essential hypertension, 743
Role of brain dopamine in the development of spontaneous hypertension, 899
Drug excretion
Management of hypertension during lactation, 297
DSP-4
Role of brain dopamine in the development of spontaneous hypertension, 899
Dynophins
Dynorphins are neurotransmitters in cardiac sympathetic nerves, A-32

E

Echocardiography
What is the value of home blood pressure measurement in patients with mild hypertension? 574
Edema
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633
Editorial
Beta-blockers, autoregulation, and experimental design, 140
Contributions of autoregulatory mechanisms to the antihypertensive actions of beta-adrenergic therapy, 137
Hypertension: the evolution of a scientific journal, 1
Methodologic standards and the clinical usefulness of the cold pressor test, 295
Sodium transport and hypertension, 445
Elastin
Connective tissue accumulation in the left coronary artery of young SHR, 526
Electrolytes
Blood pressure and associated factors in a rural Kenyan community, 810
Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in consicous rats, 689
Enalapril
Antihypertensive effect of MK-421 in rats, 229
Hemodynamic and antihypertensive effects of the new oral angiotensin-converting-enzyme inhibitor MK-421, 167
Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Plasma renin substrate concentration during chronic propranolol therapy. Letter, 132
Endocrine factors
Hemodynamic and endocrine changes associated with potassium supplementation in sodium-loaded hypertensives, 184
Human chromogranin A (CgA), the major catecholamine storage vesicle (CSV) soluble protein: purification from CSV of pheochromocytoma (Pheo), quantitation by RIA, and evaluation of plasma CgA (pCgA) as an index of exocytotic sympathoadrenal activity in normal and hypertensive man, A-31
Endothelium
Hypertensive and osmotic disruption of the blood-brain barrier: vesicles or tight junctions? A-39
Role of endothelium in conversion of angiotensin I to angiotensin II in rabbit aorta, 216
State of the art lecture: the endothelium-derived vascular relaxing factor, A-36
Enzyme activity
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Epidemiology
Alcohol consumption as a risk factor for high blood pressure: Munich Blood Pressure Study, 124
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339

Elevated urinary free 19-nor-deoxycorticosterone in essential hypertension, A-8
High blood pressure in older Americans, 802
Milk consumption, calcium intake, and decreased hypertension in Puerto Rico, 322
Possible role of nutritional factors in the incidence of cerebral lesions in stroke-prone spontaneously hypertensive rats, 49
Reduction of dietary sodium in Western society: benefit or risk? 795
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Sodium transport and hypertension, 445

Epinephrine
The area of rostral ventrolateral medulla containing C1 adrenaline neurons mediates the hypertension produced by lesions of A1 noradrenergic neurons, A-25
Chronic angiotensin II infusion decreases renal norepinephrine overflow in conscious dogs, 675
Epinephrine facilitates neurogenic vasoconstriction, A-29
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315

Errata
Ambulatory blood pressure recordings: reproducibility and unpredictability, C-110 (May–June)
Correction to graph in Mancia G: Methods for assessing blood pressure values in humans. *Hypertension* 1983;5(Suppl III):III-5–III-13, 133
Vascular angiotensin II receptors in renal and DOCA-salt hypertensive rats. *Hypertension* 1983;5(Suppl V):V-16–V-21, 984

Erythrocytes
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
Interaction of internal Na^+ and external K^+ with the erythrocyte Na^+, K^+ cotransport system in essential hypertension, 352
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Racial differences in erythrocyte cation transport, 115
Red cell cotransport activity and sodium content in black men, 724

Exocytosis
Human chromogranin A (CgA), the major catecholamine storage vesicle (CSV) soluble protein: purification from CSV of pheochromocytoma (Pheo), quantitation by RIA, and evaluation of plasma CgA (pCgA) as an index of exocytotic sympathoadrenal activity in normal and hypertensive man, A-31
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2

F

Familial hypertension
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Decreased uptake of ^{3}H-serotonin and endogenous content of serotonin in blood platelets in hypertensive patients, 568
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159

Fat, saturated
Lack of an effect of dietary saturated fat and cholesterol on blood pressure in normotensives, 193

Femoral bed, canine
Sympathetic vasoconstriction sensitive to alpha 2-adrenergic receptor blockade, 915

Fluoroprednisolone acetate
Severe hypertension in childhood due to prolonged skin application of a mineralocorticoid ointment, 586

Forearm blood vessels
Adrenergic activity and peripheral hemodynamics in relation to sodium sensitivity in patients with essential hypertension, 820
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545

Fractional lithium excretion
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420

G

Gamma MSH
Gamma$_2$ (γ_2) MSH: a hypertensogenic peptide derived from pro-opiocortin, A-50

Ganglionic blockade
Contribution of vasopressin and the sympathetic nervous system in the early phase of high sodium one-kidney renal hypertension, 848

Gene
Structure of the human renin gene, A-5

Gene duplication
Tissue and gene specificity of mouse renin expression, 597

Genetics
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339
Genetic relationship between a lymphocyte membrane abnormality and blood pressure in spontaneously hypertensive stroke prone (SHRSP) and Wistar Kyoto (WKY) rats, A-41
High blood pressure in older Americans, 802
Isoelectric focusing patterns of urinary kallikrein in Dahl salt-hypertension susceptible and resistant rats, 519
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Sodium transport and hypertension, 445
Tissue and gene specificity of mouse renin expression, 597
Vascular angiotensin II receptors in SHR, 682
Vasopressor hyperresponsiveness in New Zealand genetically hypertensive rats, 861

Genoma
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425

Glomerular filtration rate
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Renal and systemic hemodynamics in sustained essential hypertension, 743
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175

Glomerulosa cells
Effects of atrial natriuretic factor on adrenal glomerulosa cells, A-17

Glucocorticoids
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425

Goldblatt hypertension
Blood pressure and aldosterone reduction by synthetic atrial natriuretic factor (ANF) in renin-dependent renovascular hypertension, A-15
Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Effects of graded renal artery constriction on blood pressure, renal artery pressure, and plasma renin activity in Goldblatt hypertension, 68
Increased levels of new spasmogenic substances released by trypsin from plasma of hypertensive rats, 255
Role of the renal nerves in one-kidney, one clip hypertension in rats, 622

Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35
Gross, Franz
Dedication: Franz Gross, 1913–1984, i (May–June)
Ground substance
Connective tissue accumulation in the left coronary artery of young SHR, 526
Growth
Factors related to tracking of blood pressure in children, 307
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605

H

Heart, *see* Cardiac factors
Heavy metals
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Hematocrit
Hemodynamic effects of chronic alteration in hematocrit in spontaneously hypertensive rats, 262
Hemodynamic effects
Adrenergic activity and peripheral hemodynamics in relation to sodium sensitivity in patients with essential hypertension, 820
Baroreflex dependent hemodynamic effects of synthetic atriopeptins, A-16
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Cardiovascular hemodynamics and vasopressin blockade in DOCA-salt hypertensive rats, 397
Hemodynamic and antihypertensive effects of the new oral angiotensin-converting-enzyme inhibitor MK-421, 167
Hemodynamic and endocrine changes associated with potassium supplementation in sodium-loaded hypertensives, 184
Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in consicous rats, 689
Hemodynamic effects of chronic alteration in hematocrit in spontaneously hypertensive rats, 262
Importance of dietary salt in the hemodynamic adjustment to weight reduction in obese hypertensive men, 814
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Renal and systemic hemodynamics in sustained essential hypertension, 743
Role of cardiopulmonary mechanoreceptors in ADH release in normal humans, 832
Hepatoma
Angiotensinogen-producing hepatocellular carcinoma, 931
High performance liquid chromatography
Kininogenase activity of tonin, 222
Urinary excretion of renin and its biochemical properties in dogs, 837
Hindquarters, perfused
Vasopressor hyperresponsiveness in New Zealand genetically hypertensive rats, 861
Hog, *see* Animal studies, pig
Home blood pressure recording
Evaluation of Remler M2000 blood pressure recorder, 209
What is the value of home blood pressure measurement in patients with mild hypertension? 574
Hormonal factors
Angiotensinogen-producing hepatocellular carcinoma, 931
Increased urinary kallikrein-like actyvity during ADH-induced hyponatremia in rats, 511
Pressor hyperresponsiveness in saline-infused rabbits, 503
Renal and systemic hemodynamics in sustained essential hypertension, 743
Hybrid arrested translation
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Hybridization
Blood pressure, lanthanum-, and norepinephrine-induced mechanical response in thoracic aortic tissue, 700
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843
Hybridoma
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843
Purification of hog kidney renin with immobilized monoclonal antirenin, 374
Hydrobromide
Role of renal papillae in the regulation of sodium excretion during acute elevation of renal perfusion pressure in the rat, 893
Hydroxydopamine
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2
Renal and systemic hemodynamics in sustained essential hypertension, 743
Role of brain dopamine in the development of spontaneous hypertension, 899
Hydroxytryptamine
5-HT, alpha-adrenoceptors, and blood pressure: effects of ketanserin in essential hypertension and autonomic insufficiency, 100
Hyperaldosteronism
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Aldosterone stimulating factor (ASF) in man: physiologic and pathophysiologic significance, A-49
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Hyperfunction, adrenal
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Hyperplasia
Further evaluation of saline infusion for the diagnosis of primary aldosteronism, 717
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Hyperreactivity
Cholinergic stimulation of vasopressin release in spontaneously hypertensive rats, 855
Cold pressor test as a predictor of hypertension, 301
Is the hypertensive rat really hyperreactive? 868
Methodologic standards and the clinical usefulness of the cold pressor test, 295
Pressor hyperresponsiveness in saline-infused rabbits, 503
Vasopressor hyperresponsiveness in New Zealand genetically hypertensive rats, 861
Hypertension, accelerated
Accelerated hypertension in a 64-year-old white woman, 767
Role of renal papillae in the regulation of sodium excretion during acute elevation of renal perfusion pressure in the rat, 893
Hypertension, arterial
Left ventricular mass reduction during salt depletion in arterial hypertension, 755
Hypertension, dexamethasone
Dexamethasone hypertension in rats, 236
Hypertension, DOCA-salt
Cardiovascular hemodynamics and vasopressin blockade in DOCA-salt hypertensive rats, 397
Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Effects of DOC-salt hypertension on migration of aortic smooth muscle cells, A-37
Rat thymocyte sodium transport, 454
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Vascular responses to serotonin in steroid hypertensive rats, 887
Hypertension, drug-induced
Decreased uptake of ^{3}H-serotonin and endogenous content of serotonin in blood platelets in hypertensive patients, 568

Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in consicous rats, 689

Hypertension, essential
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Adrenergic activity and peripheral hemodynamics in relation to sodium sensitivity in patients with essential hypertension, 820
Beta-blockers, autoregulation, and experimental design, 140
Contributions of autoregulatory mechanisms to the antihypertensive actions of beta-adrenergic therapy, 137
Converting-enzyme inhibition corrects the altered adrenal response to angiotensin II in essential hypertension, 92
Decreased uptake of ^{3}H-serotonin and endogenous content of serotonin in blood platelets in hypertensive patients, 568
Diastolic function of the heart in untreated primary hypertension, 329
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339
Does 1,25 dihydroxyvitamin D (1,25D) cause low renin hypertension? A-52
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
Elevated urinary free 19-nor-deoxycorticosterone in essential hypertension, A-8
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Human chromogranin A (CgA), the major catecholamine storage vesicle (CSV) soluble protein: purification from CSV of pheochromocytoma (Pheo), quantitation by RIA, and evaluation of plasma CgA (pCgA) as an index of exocytotic sympathoadrenal activity in normal and hypertensive man, A-31
Humoral Na^+-K^+ pump inhibiting factor in human essential hypertension and normotensive subjects before and after volume expansion, A-43
Hypertensive cardiovascular disease, 934
Importance of dietary salt in the hemodynamic adjustment to weight reduction in obese hypertensive men, 814
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Interaction of internal Na^+ and external K^+ with the erythrocyte Na^+, K^+ cotransport system in essential hypertension, 352
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Microvascular pressure, flow, and resistance in spontaneously hypertensive rats, 877
Red cell cotransport activity and sodium content in black men, 724
Renal and systemic hemodynamics in sustained essential hypertension, 743
Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents, 145
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Vasomotion of renal blood flow in essential hypertension, 579

***Hypertension* journal**
Hypertension: the evolution of a scientific journal, 1
A note of thanks to reviewers, 134

Hypertension, low-renin
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Does 1,25 dihydroxyvitamin D (1,25D) cause low renin hypertension? A-52
Further evaluation of saline infusion for the diagnosis of primary aldosteronism, 717
Humoral Na^+-K^+ pump inhibiting factor in human essential hypertension and normotensive subjects before and after volume expansion, A-43

Hypertension, mild
The Australian Therapeutic Trial in Mild Hypertension. Letter, 774
Effect of antihypertensive treatment on the behavioral consequences of elevated blood pressure, 202
Relaxation, pharmacotherapy and their interaction in the treatment of mild hypertension, A-53
What is the value of home blood pressure measurement in patients with mild hypertension? 574

Hypertension, mineralocorticoid
Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27

Hypertension, one-kidney, one clip
Blood pressure and aldosterone reduction by synthetic atrial natriuretic factor (ANF) in renin-dependent renovascular hypertension, A-15
Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Effects of graded renal artery constriction on blood pressure, renal artery pressure, and plasma renin activity in Goldblatt hypertension, 68
Endogenous intrarenal adenosine produces hypertension via afferent renal nerves in the one-kidney one-clip rat, A-35
Increased levels of new spasmogenic substances released by trypsin from plasma of hypertensive rats, 255
Role of the renal nerves in one-kidney, one clip hypertension in rats, 622
Sympathetic activity and cardiac adrenergic receptors in one-kidney, one clip hypertension in rats, 654

Hypertension, one-kidney, one wrap
Contribution of vasopressin and the sympathetic nervous system in the early phase of high sodium one-kidney renal hypertension, 848

Hypertension, psychosocial
Reduction of chronic psychosocial hypertension in mice by decaffeinated tea, 437

Hypertension, renal
Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Effects of graded renal artery constriction on blood pressure, renal artery pressure, and plasma renin activity in Goldblatt hypertension, 68
Evaluation of patients with renovascular hypertension, 589
Evaluation of patients with renovascular hypertension: another view, 591
Increased levels of new spasmogenic substances released by trypsin from plasma of hypertensive rats, 255
Progressive microvascular alterations with the development of renovascular hypertension, 61
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35

Hypertension, sodium chloride
Hypertension-producing factor in serum of hypertensive Dahl salt-sensitive rats, 709
Importance of Cl and Na for NaCl dependent hypertension, A-42

Hypertension, spontaneous
Alterations in vascular sensitivity to vasoactive agents after discontinuation of propranolol in SHR, 249
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Isoelectric focusing patterns of urinary kallikrein in Dahl salt-hypertension susceptible and resistant rats, 519
Possible role of nutritional factors in the incidence of cerebral lesions in stroke-prone spontaneously hypertensive rats, 49
Role of brain dopamine in the development of spontaneous hypertension, 899
Temperature dependence and bidirectional cation fluxes in red blood cells from spontaneously hypertensive rats, 42
Vascular angiotensin II receptors in SHR, 682
Vasopressor hyperresponsiveness in New Zealand genetically hypertensive rats, 861

Hypertension, tumor-dependent
Chemotherapy of malignant pheochromocytoma in man, A-9
Diagnosis and treatment of renin-secreting tumors, 760
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Tumor-dependent hypertension, 593

Hypertension, two-kidney, one clip
Blood pressure and aldosterone reduction by synthetic atrial natriuretic factor (ANF) in renin-dependent renovascular hypertension, A-15

Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Effects of dietary protein in experimental renovascular hypertension, A-21
Effects of graded renal artery constriction on blood pressure, renal artery pressure, and plasma renin activity in Goldblatt hypertension, 68
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35
Hypertrophy
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Effect of diuretic therapy on ventricular arrhythmias in hypertensive patients with or without LVH, A-54
Hypertensive cardiovascular disease, 934
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633
Left ventricular mass reduction during salt depletion in arterial hypertension, 755
Hyponatremia
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511
Hypotension
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633
Natriuretic and hypotensive responses to synthetic atrial natriuretic factor in conscious hypertensive rats, A-14
Hypothalamo-neurohypophyseal system
Cholinergic stimulation of vasopressin release in spontaneously hypertensive rats, 855

I

Idiopathic hyperaldosteronism
Aldosterone stimulating factor (ASF) in man: physiologic and pathophysiologic significance, A-49
Immunoaffinity
Purification of hog kidney renin with immobilized monoclonal antirenin, 374
Immunoassay, direct
Increased renin release during acute renin inhibition: studies with a novel direct immunoassay of renin, A-22
Immunohistochemistry
Angiotensinogen-producing hepatocellular carcinoma, 931
Immunoreactive renin in mouse adrenal gland, 275
Immunoreactivity
Angiotensin-(1-8)octapeptide but not immunoreactive "angiotensin II" disappears from plasma under converting enzyme inhibition, A-2
Inactive renin
Evidence for an extrarenal source of inactive renin in rats, 627
Indomethacin
Dexamethasone hypertension in rats, 236
Instrumentation
Ambulatory blood pressure recordings: reproducibility and unpredictability, C-110 (May–June)
Concurrent validity studies of blood pressure instrumentation: the Philadelphia Blood Pressure Project, 85
Evaluation of Remler M2000 blood pressure recorder, 209
Intestine
Acute local effects of angiotensin II on the intestinal vasculature, 13
Intraarterial blood pressure recording
Evaluation of Remler M2000 blood pressure recorder, 209
Intracellular sodium
Effect of dietary sodium reduction on red blood cell sodium concentration and sodium-lithium countertransport, 731
Rat thymocyte sodium transport, 454
Red cell cotransport activity and sodium content in black men, 724
Intracerebroventricular injection
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Intrarenal infusion
Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in conscious rats, 689
Intrasynaptic alpha-adrenergic receptors
Sympathetic vasoconstriction sensitive to alpha$_2$-adrenergic receptor blockade, 915
Intravascular pressure
Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Ion transport
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Isoelectric focusing
Isoelectric focusing patterns of urinary kallikrein in Dahl salt-hypertension susceptible and resistant rats, 519
Isolated arterial strips
Vascular responses to serotonin in steroid hypertensive rats, 887

J

Japanese
Multivariate analysis of interrelationships between blood pressure, sodium, potassium, serum cholesterol, and protein intake in Japanese, 736
Juxtaglomerular cell tumor
Diagnosis and treatment of renin-secreting tumors, 760

K

Kainic acid
Location of the area postrema pressor pathway in the dog brain stem, 482
Kallikrein
Antihypertensive effect of MK-421 in rats, 229
Isoelectric focusing patterns of urinary kallikrein in Dahl salt-hypertension susceptible and resistant rats, 519
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175
Kallikrein-kinin system
Antihypertensive effect of MK-421 in rats, 229
Highly specific substrate analog inhibitors of human urinary kallikrein, A-24
Increased levels of new spasmogenic substances released by trypsin from plasma of hypertensive rats, 255
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511
Isoelectric focusing patterns of urinary kallikrein in Dahl salt-hypertension susceptible and resistant rats, 519
Kenyan population
Blood pressure and associated factors in a rural Kenyan community, 810
Ketanserin
5-HT, alpha-adrenoceptors, and blood pressure: effects of ketanserin in essential hypertension and autonomic insufficiency, 100
Vascular responses to serotonin in steroid hypertensive rats, 887

Kidney
Antihypertensive effect of MK-421 in rats, 229
The area of rostral ventrolateral medulla containing C1 adrenaline neurons mediates the hypertension produced by lesions of A1 noradrenergic neurons, A-25
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Chronic angiotensin II infusion decreases renal norepinephrine overflow in conscious dogs, 675
Contribution of vasopressin and the sympathetic nervous system in the early phase of high sodium one-kidney renal hypertension, 848
Converting-enzyme inhibition corrects the altered adrenal response to angiotensin II in essential hypertension, 92
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Distributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Effects of graded renal artery constriction on blood pressure, renal artery pressure, and plasma renin activity in Goldblatt hypertension, 68
Effects of sodium depletion on inactive and active renin from dog kidney and plasma, 391
Evaluation of patients with renovascular hypertension, 589
Evaluation of patients with renovascular hypertension: another view, 591
Evidence for an extrarenal source of inactive renin in rats, 627
Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in consicous rats, 689
Induction to a maximum of the hypertensive function of the kidney by captopril, A-48
Purification of hog kidney renin with immobilized monoclonal antirenin, 374
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Renal and systemic hemodynamics in sustained essential hypertension, 743
Role of renal papillae in the regulation of sodium excretion during acute elevation of renal perfusion pressure in the rat, 893
Role of the renal nerves in one-kidney, one clip hypertension in rats, 622
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175
Vasomotion of renal blood flow in essential hypertension, 579
Kinin
Antihypertensive effect of MK-421 in rats, 229
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511
Kininogenase activity of tonin, 222
Kininogen
Highly specific substrate analog inhibitors of human urinary kallikrein, A-24
Increased levels of new spasmogenic substances released by trypsin from plasma of hypertensive rats, 255
Kininogenase activity of tonin, 222

L

Lactation
Management of hypertension during lactation, 297
Lanthanum
Blood pressure, lanthanum-, and norepinephrine-induced mechanical response in thoracic aortic tissue, 700
Left coronary artery
Connective tissue accumulation in the left coronary artery of young SHR, 526
Left ventricle
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Diastolic function of the heart in untreated primary hypertension, 329
Effect of diuretic therapy on ventricular arrhythmias in hypertensive patients with or without LVH, A-54
Left ventricular mass reduction during salt depletion in arterial hypertension, 755
Letter to the editor
The Australian Therapeutic Trial in Mild Hypertension. Letter, 774
Plasma renin substrate concentration during chronic propranolol therapy. Letter, 132
Leucocyte sodium transport
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Lipids
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Lithium
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Racial differences in erythrocyte cation transport, 115
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159
Lymph flow
Acute local effects of angiotensin II on the intestinal vasculature, 13
Lymphocyte
Genetic relationship between a lymphocyte membrane abnormality and blood pressure in spontaneously hypertensive stroke prone (SHRSP) and Wistar Kyoto (WKY) rats, A-41

M

Macronodular hyperplasia
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Macula densa
Role of the macula densa in renin release, A-19
Magnesium
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Mastocytosis
Recurrent syncope due to systemic mastocytosis, 285
Maturity
Factors related to tracking of blood pressure in children, 307
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Medulla
The area of rostral ventrolateral medulla containing C1 adrenaline neurons mediates the hypertension produced by lesions of A1 noradrenergic neurons, A-25
Autoradiographic studies on anterior pituitary and adrenomedullary angiotensin II receptors in spontaneously hypertensive rats, A-33
Epinephrine facilitates neurogenic vasoconstriction, A-29
Membrane abnormality
Genetic relationship between a lymphocyte membrane abnormality and blood pressure in spontaneously hypertensive stroke prone (SHRSP) and Wistar Kyoto (WKY) rats, A-41

Membrane transport
Acute local effects of angiotensin II on the intestinal vasculature, 13
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425
Temperature dependence and bidirectional cation fluxes in red blood cells from spontaneously hypertensive rats, 42
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Mesenteric artery
Vascular angiotensin II receptors in SHR, 682
Metabolism, autoregulatory mechanisms
Neural and local control of arterioles in SHR, 530
Metabolism, calcium
Effects of high calcium intake on blood pressure and calcium metabolism in young SHR, 639
Metabolites
Sympathetic activity and cardiac adrenergic receptors in one-kidney, one clip hypertension in rats, 654
Methyldopa
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
Methysergide
Vascular responses to serotonin in steroid hypertensive rats, 887
Metoprolol
Sympathetic outflow to muscles during treatment of hypertension with metoprolol, 557
Mg-ATPase
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Microcirculation
Acute local effects of angiotensin II on the intestinal vasculature, 13
Disfiributions of microvascular pressure in skeletal muscle of one-kidney, one clip, two-kidney, one clip, and deoxycorticosterone-salt hypertensive rats, 27
Microvascular adaptation in the cerebral cortex of adult spontaneously hypertensive rats, 408
Microvascular pressure, flow, and resistance in spontaneously hypertensive rats, 877
Neural and local control of arterioles in SHR, 530
Progressive microvascular alterations with the development of renovascular hypertension, 61
Microelectrode recording
Sympathetic outflow to muscles during treatment of hypertension with metoprolol, 557
Midcollicular transection
Location of the area postrema pressor pathway in the dog brain stem, 482
Milk
Management of hypertension during lactation, 297
Milk consumption, calcium intake, and decreased hypertension in Puerto Rico, 322
Mineralocorticoid hypertension, *see* Hypertension, mineralocorticoid
Mineralocorticoids
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425
Elevated urinary free 19-nor-deoxycorticosterone in essential hypertension, A-8
Severe hypertension in childhood due to prolonged skin application of a mineralocorticoid ointment, 586
MK-421, *see* Enalapril
Monensin
Temperature dependence and bidirectional cation fluxes in red blood cells from spontaneously hypertensive rats, 42
Monoclonal antibodies
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843
Purification of hog kidney renin with immobilized monoclonal antirenin, 374
Urinary excretion of renin and its biochemical properties in dogs, 837
Mouse, *see* Animal studies, mouse
mRNA
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Multiple regression
Alcohol consumption as a risk factor for high blood pressure: Munich Blood Pressure Study, 124
Multivariate analysis
Multivariate analysis of interrelationships between blood pressure, sodium, potassium, serum cholesterol, and protein intake in Japanese, 736
Munich Blood Pressure Study
Alcohol consumption as a risk factor for high blood pressure: Munich Blood Pressure Study, 124
Myocardial contractility
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Myogenic autoregulatory mechanisms
Neural and local control of arterioles in SHR, 530

N

Na, K-ATPase
Ca^{2+} ATPase in human hypertension, A-6
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Na-K, *see* Sodium-potassium
National Health and Nutrition Examination Survey
Factors related to tracking of blood pressure in children, 307
High blood pressure in older Americans, 802
National Heart, Lung, and Blood Institute
News and views from the NHLBI, A-46
Natriuresis
Baroreflex dependent hemodynamic effects of synthetic atriopeptins, A-16
Inhibitory effect of the synthetic atrial natriuretic factor on vasopressin release from the isolated neurohypophysis of the rat, A-1
Molecular biology of atrial natriuretic factor, A-13
Natriuretic and hypertensive activities reside in a fragment of ACTH, 468
Natriuretic and hypotensive responses to synthetic atrial natriuretic factor in conscious hypertensive rats, A-14
Platelet activation of atrial natriuretic peptides, A-18
Role of renal papillae in the regulation of sodium excretion during acute elevation of renal perfusion pressure in the rat, 893
Sodium channel blockers are vasodilator and depressor as well as natriuretic and diuretic, A-44
A specific receptor for atrial natriuretic factor mediates inhibition of steroidogenesis in cultured bovine adrenal cells, A-7
State of the art lecture: atrial natriuretic peptides, A-12
Neonatal
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Ontogeny of neural and non-neural contributions to arterial blood pressure in spontaneously hypertensive rats, 54
Nephrectomy
Evidence for an extrarenal source of inactive renin in rats, 627
Hypertension-producing factor in serum of hypertensive Dahl salt-sensitive rats, 709
Neurohypophysis
Inhibitory effect of the synthetic atrial natriuretic factor on vasopressin release from the isolated neurohypophysis of the rat, A-1
Neurons
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Chronic angiotensin II infusion decreases renal norepinephrine overflow in conscious dogs, 675
Comparison of renin and converting enzyme inhibition (CEI) on blood pressure (BP) and plasma angiotensin II of Na-deficient dogs, A-23

Dynorphins are neurotransmitters in cardiac sympathetic nerves, A-32
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
Effects of captopril on vascular noradrenergic transmission in SHR, 660
Epinephrine facilitates neurogenic vasoconstriction, A-29
Ontogeny of neural and non-neural contributions to arterial blood pressure in spontaneously hypertensive rats, 54
Role of the renal nerves in one-kidney, one clip hypertension in rats, 622
Sympathetic outflow to muscles during treatment of hypertension with metoprolol, 557

New Zealand rat
Vasopressor hyperresponsiveness in New Zealand genetically hypertensive rats, 861

Noradrenergic transmission
Effects of captopril on vascular noradrenergic transmission in SHR, 660
Noradrenergic transmission in the isolated portal vein of the spontaneously hypertensive rat, 267

Nordeoxycorticosterone
Elevated urinary free 19-nor-deoxycorticosterone in essential hypertension, A-8

Norepinephrine
Adrenergic activity and peripheral hemodynamics in relation to sodium sensitivity in patients with essential hypertension, 820
Antihypertensive effect of MK-421 in rats, 229
The area of rostral ventrolateral medulla containing C1 adrenaline neurons mediates the hypertension produced by lesions of A1 noradrenergic neurons, A-25
Blood pressure, lanthanum-, and norepinephrine-induced mechanical response in thoracic aortic tissue, 700
Chronic angiotensin II infusion decreases renal norepinephrine overflow in conscious dogs, 675
Dexamethasone hypertension in rats, 236
Dynorphins are neurotransmitters in cardiac sympathetic nerves, A-32
Effects of captopril on vascular noradrenergic transmission in SHR, 660
Hemodynamic and endocrine changes associated with potassium supplementation in sodium-loaded hypertensives, 184
Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in consicous rats, 689
Hypertension-producing factor in serum of hypertensive Dahl salt-sensitive rats, 709
Importance of dietary salt in the hemodynamic adjustment to weight reduction in obese hypertensive men, 814
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Noradrenergic transmission in the isolated portal vein of the spontaneously hypertensive rat, 267
Presynaptic control of norepinephrine release in the spontaneously hypertensive rat (SHR), A-27
Progressive microvascular alterations with the development of renovascular hypertension, 61
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents, 145
Role of the renal nerves in one-kidney, one clip hypertension in rats, 622
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Sympathetic activity and cardiac adrenergic receptors in one-kidney, one clip hypertension in rats, 654
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460

Normetanephrine
Sympathetic activity and cardiac adrenergic receptors in one-kidney, one clip hypertension in rats, 654

Nutrition, *see* Diet

O

Obesity
Alcohol consumption as a risk factor for high blood pressure: Munich Blood Pressure Study, 124
Factors related to tracking of blood pressure in children, 307
Importance of dietary salt in the hemodynamic adjustment to weight reduction in obese hypertensive men, 814

Octapeptide
Angiotensin-(1-8)octapeptide but not immunoreactive "angiotensin II" disappears from plasma under converting enzyme inhibition, A-2

Ontogeny
Ontogeny of neural and non-neural contributions to arterial blood pressure in spontaneously hypertensive rats, 54

Osmotic disruption
Hypertensive and osmotic disruption of the blood-brain barrier: vesicles or tight junctions? A-39
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633

Ouabain
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159

Oxygen
Neural and local control of arterioles in SHR, 530

P

Papillary necrosis
Role of renal papillae in the regulation of sodium excretion during acute elevation of renal perfusion pressure in the rat, 893

Peptides
Angiotensin-(1-8)octapeptide but not immunoreactive "angiotensin II" disappears from plasma under converting enzyme inhibition, A-2
Baroreflex dependent hemodynamic effects of synthetic atriopeptins, A-16
Gamma$_2$ (γ_2) MSH: a hypertensogenic peptide derived from pro-opiocortin, A-50
Highly potent and specific inhibitors of human renin, A-3
Highly specific substrate analog inhibitors of human urinary kallikrein, A-24
Molecular biology of atrial natriuretic factor, A-13
Platelet activation of atrial natriuretic peptides, A-18
State of the art lecture: atrial natriuretic peptides, A-12

Perfusion, constant
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Sympathetic vasoconstriction sensitive to alpha$_2$-adrenergic receptor blockade, 915

Phenylephrine
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Evidence for the existence of vascular alpha$_2$-adrenergic receptors in humans, 551

Pheochromocytoma
Chemotherapy of malignant pheochromocytoma in man, A-9
Human chromogranin A (CgA), the major catecholamine storage vesicle (CSV) soluble protein: purification from CSV of pheochromocytoma (Pheo), quantitation by RIA, and evaluation of plasma CgA (pCgA) as an index of exocytotic sympathoadrenal activity in normal and hypertensive man, A-31
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2
Rapid cyclic fluctuations of blood pressure associated with an adrenal pheochromocytoma, 281

Philadelphia Blood Pressure Project
Concurrent validity studies of blood pressure instrumentation: the Philadelphia Blood Pressure Project, 85

Physician effect on blood pressure
Ambulatory blood pressure recordings: reproducibility and unpredictability, C-110 (May–June)
Physiometrics SR-2
Concurrent validity studies of blood pressure instrumentation: the Philadelphia Blood Pressure Project, 85
Pig, *see* Animal studies, pig
Pithed rat
Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Pituitary gland
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Aldosterone stimulating factor (ASF) in man: physiologic and pathophysiologic significance, A-49
Autoradiographic studies on anterior pituitary and adrenomedullary angiotensin II receptors in spontaneously hypertensive rats, A-33
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35
Plasma catecholamines
Chronic arterial and venous catheterization of conscious, unrestrained rats, 926
Vasomotion of renal blood flow in essential hypertension, 579
Plasma electrolytes
Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in consicous rats, 689
Plasma flow
Renal and systemic hemodynamics in sustained essential hypertension, 743
Plasma norepinephrine
Adrenergic activity and peripheral hemodynamics in relation to sodium sensitivity in patients with essential hypertension, 820
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Plasma protein
Acute local effects of angiotensin II on the intestinal vasculature, 13
Plasma renin activity
Chronic arterial and venous catheterization of conscious, unrestrained rats, 926
Effects of graded renal artery constriction on blood pressure, renal artery pressure, and plasma renin activity in Goldblatt hypertension, 68
Effects of sodium depletion on inactive and active renin from dog kidney and plasma, 391
Evidence for an extrarenal source of inactive renin in rats, 627
Polyuria, polydypsia, and hypertension produced by a six-day intravenous infusion of prostaglandin E_1 in the conscious dog, 431
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Plasma renin substrate
Plasma renin substrate concentration during chronic propranolol therapy. Letter, 132
Plasma volume
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in consicous rats, 689
Hemodynamic effects of chronic alteration in hematocrit in spontaneously hypertensive rats, 262
Humoral Na^+-K^+ pump inhibiting factor in human essential hypertension and normotensive subjects before and after volume expansion, A-43
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511
Platelet
Decreased uptake of ^{3}H-serotonin and endogenous content of serotonin in blood platelets in hypertensive patients, 568
Platelet-activating factor
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Platelet activation
Platelet activation of atrial natriuretic peptides, A-18
Platelet aggregation
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339
Plethysmography
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Polar renomedullary lipid
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Polydypsia
Polyuria, polydypsia, and hypertension produced by a six-day intravenous infusion of prostaglandin E_1 in the conscious dog, 431
Polyuria
Polyuria, polydypsia, and hypertension produced by a six-day intravenous infusion of prostaglandin E_1 in the conscious dog, 431
Population study
Alcohol consumption as a risk factor for high blood pressure: Munich Blood Pressure Study, 124
The Australian Therapeutic Trial in Mild Hypertension. Letter, 774
Blood pressure and associated factors in a rural Kenyan community, 810
Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
Milk consumption, calcium intake, and decreased hypertension in Puerto Rico, 322
Multivariate analysis of interrelationships between blood pressure, sodium, potassium, serum cholesterol, and protein intake in Japanese, 736
Racial differences in erythrocyte cation transport, 115
Red cell sodium countertransport and cotransport in normotensive and hypertensive blacks, 344
Reduction of dietary sodium in Western society: benefit or risk? 795
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159
Portal vein
Noradrenergic transmission in the isolated portal vein of the spontaneously hypertensive rat, 267
Postnatal development
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Potassium
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
K prevents stroke death in hypertensive rats without lowering BP, A-40
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Red cell cotransport activity and sodium content in black men, 724
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Potassium depletion
Temperature dependence and bidirectional cation fluxes in red blood cells from spontaneously hypertensive rats, 42
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175
Potassium intake
Hemodynamic and endocrine changes associated with potassium supplementation in sodium-loaded hypertensives, 184
Multivariate analysis of interrelationships between blood pressure, sodium, potassium, serum cholesterol, and protein intake in Japanese, 736
Prazosin
5-HT, alpha-adrenoceptors, and blood pressure: effects of ketanserin in essential hypertension and autonomic insufficiency, 100
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Evidence for the existence of vascular $alpha_2$-adrenergic receptors in humans, 551
Sympathetic vasoconstriction sensitive to $alpha_2$-adrenergic receptor blockade, 915
Vascular angiotensin II receptors in SHR, 682

Prejunctional receptors
Noradrenergic transmission in the isolated portal vein of the spontaneously hypertensive rat, 267
Pressor response
Cardiovascular hemodynamics and vasopressin blockade in DOCA-salt hypertensive rats, 397
Cold pressor test as a predictor of hypertension, 301
Epinephrine facilitates neurogenic vasoconstriction, A-29
Hypertension-producing factor in serum of hypertensive Dahl salt-sensitive rats, 709
Location of the area postrema pressor pathway in the dog brain stem, 482
Methodologic standards and the clinical usefulness of the cold pressor test, 295
Natriuretic and hypertensive activities reside in a fragment of ACTH, 468
Pressor hyperresponsiveness in saline-infused rabbits, 503
Vasopressor hyperresponsiveness in New Zealand genetically hypertensive rats, 861
Pressor response, norepinephrine
Antihypertensive effect of MK-421 in rats, 229
Dexamethasone hypertension in rats, 236
Hemodynamic and endocrine changes associated with potassium supplementation in sodium-loaded hypertensives, 184
Progressive microvascular alterations with the development of renovascular hypertension, 61
Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents, 145
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Presynaptic control
Presynaptic control of norepinephrine release in the spontaneously hypertensive rat (SHR), A-27
Primary aldosteronism
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Further evaluation of saline infusion for the diagnosis of primary aldosteronism, 717
Regulation of a new aldosterone-stimulating factor in primary aldosteronism, A-4
Pro-opiocortin
Gamma$_2$ (γ_2) MSH: a hypertensogenic peptide derived from pro-opiocortin, A-50
Propranolol
Alterations in vascular sensitivity to vasoactive agents after discontinuation of propranolol in SHR, 249
Plasma renin substrate concentration during chronic propranolol therapy. Letter, 132
Prorenin
Evidence for an extrarenal source of inactive renin in rats, 627
Prostaglandin
Dexamethasone hypertension in rats, 236
Prostaglandin E_1
Polyuria, polydypsia, and hypertension produced by a six-day intravenous infusion of prostaglandin E_1 in the conscious dog, 431
Protein
Acute local effects of angiotensin II on the intestinal vasculature, 13
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Protein, dietary
Effects of dietary protein in experimental renovascular hypertension, A-21
Multivariate analysis of interrelationships between blood pressure, sodium, potassium, serum cholesterol, and protein intake in Japanese, 736
Possible role of nutritional factors in the incidence of cerebral lesions in stroke-prone spontaneously hypertensive rats, 49
Stability of blood pressure in vegetarians receiving dietary protein supplements, 199
Proximal tubular sodium reabsorption
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Psychological tests
Effect of antihypertensive treatment on the behavioral consequences of elevated blood pressure, 202
Psychosocial factors
Ambulatory blood pressure recordings: reproducibility and unpredictability, C-110 (May–June)
Blood pressure and associated factors in a rural Kenyan community, 810
Is the hypertensive rat really hyperreactive? 868
Reduction of chronic psychosocial hypertension in mice by decaffeinated tea, 437
Relaxation, pharmacotherapy and their interaction in the treatment of mild hypertension, A-53
Puerto Rico Heart Health Program Study
Milk consumption, calcium intake, and decreased hypertension in Puerto Rico, 322

R

Rabbit, *see* Animal studies, rabbit
Race
Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
Milk consumption, calcium intake, and decreased hypertension in Puerto Rico, 322
Racial differences in erythrocyte cation transport, 115
Red cell cotransport activity and sodium content in black men, 724
Radioimmunoassay
Production and characterization of monoclonal antibodies to rat angiotensinogen, 843
Rat, *see* Animal studies, rat
Rauwolscine
Sympathetic vasoconstriction sensitive to alpha 2-adrenergic receptor blockade, 915
Red blood cells
Ca^{2+} ATPase in human hypertension, A-6
Decreased uptake of ^{3}H-serotonin and endogenous content of serotonin in blood platelets in hypertensive patients, 568
Effect of dietary sodium reduction on red blood cell sodium concentration and sodium-lithium countertransport, 731
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Red cell cotransport activity and sodium content in black men, 724
Red cell sodium countertransport and cotransport in normotensive and hypertensive blacks, 344
Sodium transport and hypertension, 445
Temperature dependence and bidirectional cation fluxes in red blood cells from spontaneously hypertensive rats, 42
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159
Remler M2000 recorder
Ambulatory blood pressure recordings: reproducibility and unpredictability, C-110 (May–June)
Evaluation of Remler M2000 blood pressure recorder, 209
Renal angiography
Accelerated hypertension in a 64-year-old white woman, 767
Renal artery pressure
Effects of graded renal artery constriction on blood pressure, renal artery pressure, and plasma renin activity in Goldblatt hypertension, 68
Renal blood flow
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Converting-enzyme inhibition corrects the altered adrenal response to angiotensin II in essential hypertension, 92
Renal and systemic hemodynamics in sustained essential hypertension, 743
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175
Vasomotion of renal blood flow in essential hypertension, 579
Renal denervation
Role of the renal nerves in one-kidney, one clip hypertension in rats, 622

Renal excretion
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175
Renal hypertension, *see* Hypertension, renal
Renal kallikrein-kinin system
Antihypertensive effect of MK-421 in rats, 229
Renal nerve
The area of rostral ventrolateral medulla containing C1 adrenaline neurons mediates the hypertension produced by lesions of A1 noradrenergic neurons, A-25
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Effects of sinoaortic denervation and of spinal cord transection on responses of renal nerves to intravenous vasopressin, A-28
Endogenous intrarenal adenosine produces hypertension via afferent renal nerves in the one-kidney one-clip rat, A-35
Renal papillae
Role of renal papillae in the regulation of sodium excretion during acute elevation of renal perfusion pressure in the rat, 893
Renal perfusion
Renal and systemic hemodynamics in sustained essential hypertension, 743
Renal plasma flow
Renal and systemic hemodynamics in sustained essential hypertension, 743
Role of renal papillae in the regulation of sodium excretion during acute elevation of renal perfusion pressure in the rat, 893
Renal reflex
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Chronic angiotensin II infusion decreases renal norepinephrine overflow in conscious dogs, 675
Vasomotion of renal blood flow in essential hypertension, 579
Renin
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
Comparison of renin and converting enzyme inhibition (CEI) on blood pressure (BP) and plasma angiotensin II of Na-deficient dogs, A-23
Diagnosis and treatment of renin-secreting tumors, 760
Does 1,25 dihydroxyvitamin D (1,25D) cause low renin hypertension? A-52
Effects of sodium depletion on inactive and active renin from dog kidney and plasma, 391
Evidence for an extrarenal source of inactive renin in rats, 627
Further evaluation of saline infusion for the diagnosis of primary aldosteronism, 717
Highly potent and specific inhibitors of human renin, A-3
Immunoreactive renin in mouse adrenal gland, 275
Increased renin release during acute renin inhibition: studies with a novel direct immunoassay of renin, A-22
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Purification of hog kidney renin with immobilized monoclonal antirenin, 374
Role of the macula densa in renin release, A-19
Role of the renal nerves in one-kidney, one clip hypertension in rats, 622
Sex differences in the endocrine predictors of essential hypertension—vasopressin vs renin, A-51
Structure of the human renin gene, A-5
Tissue and gene specificity of mouse renin expression, 597
Urinary excretion of renin and its biochemical properties in dogs, 837
Renin-angiotensin system
Dexamethasone hypertension in rats, 236
Hemodynamic and antihypertensive effects of the new oral angiotensin-converting-enzyme inhibitor MK-421, 167
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35
Vascular angiotensin II receptors in SHR, 682
Vasomotion of renal blood flow in essential hypertension, 579
Renomedullary lipids
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Response, adrenal
Converting-enzyme inhibition corrects the altered adrenal response to angiotensin II in essential hypertension, 92
Response, cardiovascular
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
Location of the area postrema pressor pathway in the dog brain stem, 482
Pressor hyperresponsiveness in saline-infused rabbits, 503
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Response, hypotensive
Natriuretic and hypotensive responses to synthetic atrial natriuretic factor in conscious hypertensive rats, A-14
Response, renal
Vasomotion of renal blood flow in essential hypertension, 579
Response, sympathetic
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Response, vascular, *see* Vascular reactivity
Risk factors
Alcohol consumption as a risk factor for high blood pressure: Munich Blood Pressure Study, 124
Blood pressure and associated factors in a rural Kenyan community, 810
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339
Factors related to tracking of blood pressure in children, 307
Hypertensive cardiovascular disease, 934
Milk consumption, calcium intake, and decreased hypertension in Puerto Rico, 322
Reduction of dietary sodium in Western society: benefit or risk? 795
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
RU 28318
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425
Rubidium cotransport
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Rubidium uptake
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20

S

Saline infusion
Further evaluation of saline infusion for the diagnosis of primary aldosteronism, 717
Salt, *see* Sodium
[Sar^1, Ile^8] angiotensin II
Pressor hyperresponsiveness in saline-infused rabbits, 503
Saralasin
Role of the renin-angiotensin system in the control of vasopressin and ACTH secretion during the development of renal hypertension in dogs, 35
Saturation hybridization
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Screening test
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152

Serotonin
Decreased uptake of ^{3}H-serotonin and endogenous content of serotonin in blood platelets in hypertensive patients, 568
Vascular responses to serotonin in steroid hypertensive rats, 887
Serotonin antagonist
5-HT, alpha-adrenoceptors, and blood pressure: effects of ketanserin in essential hypertension and autonomic insufficiency, 100
Sex differences
Sex differences in the endocrine predictors of essential hypertension—vasopressin vs renin, A-51
Sinoaortic deafferentiation
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Sinoaortic denervation
Effects of sinoaortic denervation and of spinal cord transection on responses of renal nerves to intravenous vasopressin, A-28
Skin ointment
Severe hypertension in childhood due to prolonged skin application of a mineralocorticoid ointment, 586
Smoking
Alcohol consumption as a risk factor for high blood pressure: Munich Blood Pressure Study, 124
Smooth muscle
Additve effects of aldosterone with vasopressin or angiotensin, 242
Angiotensin increases cytosolic free calcium concentration in cultured vascular smooth muscle cells, A-38
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Blood pressure, lanthanum-, and norepinephrine-induced mechanical response in thoracic aortic tissue, 700
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Connective tissue accumulation in the left coronary artery of young SHR, 526
Effects of DOC-salt hypertension on migration of aortic smooth muscle cells, A-37
Sodium balance
Effects of high calcium intake on blood pressure and calcium metabolism in young SHR, 639
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511
Multivariate analysis of interrelationships between blood pressure, sodium, potassium, serum cholesterol, and protein intake in Japanese, 736
Polyuria, polydypsia, and hypertension produced by a six-day intravenous infusion of prostaglandin E_1 in the conscious dog, 431
Rat thymocyte sodium transport, 454
Red cell cotransport activity and sodium content in black men, 724
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Sodium channel blockers
Sodium channel blockers are vasodilator and depressor as well as natriuretic and diuretic, A-44
Sodium chloride hypertension, *see* Hypertension, sodium chloride
Sodium countertransport
Racial differences in erythrocyte cation transport, 115
Red cell sodium countertransport and cotransport in normotensive and hypertensive blacks, 344
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159
Sodium depletion
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Comparison of renin and converting enzyme inhibition (CEI) on blood pressure (BP) and plasma angiotensin II of Na-deficient dogs, A-23
Effect of dietary sodium reduction on red blood cell sodium concentration and sodium-lithium countertransport, 731
Effects of sodium depletion on inactive and active renin from dog kidney and plasma, 391
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Left ventricular mass reduction during salt depletion in arterial hypertension, 755
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175
Sodium efflux rate constant
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425
Sodium excretion
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Role of renal papillae in the regulation of sodium excretion during acute elevation of renal perfusion pressure in the rat, 893
Sodium handling
Additve effects of aldosterone with vasopressin or angiotensin, 242
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Racial differences in erythrocyte cation transport, 115
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Sodium intake
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339
Effect of dietary sodium reduction on red blood cell sodium concentration and sodium-lithium countertransport, 731
Effects of high calcium intake on blood pressure and calcium metabolism in young SHR, 639
High blood pressure in older Americans, 802
Importance of dietary salt in the hemodynamic adjustment to weight reduction in obese hypertensive men, 814
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Lack of an effect of dietary saturated fat and cholesterol on blood pressure in normotensives, 193
Milk consumption, calcium intake, and decreased hypertension in Puerto Rico, 322
Multivariate analysis of interrelationships between blood pressure, sodium, potassium, serum cholesterol, and protein intake in Japanese, 736
Possible role of nutritional factors in the incidence of cerebral lesions in stroke-prone spontaneously hypertensive rats, 49
Reduction of dietary sodium in Western society: benefit or risk? 795
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Sodium transport and hypertension, 445
Stability of blood pressure in vegetarians receiving dietary protein supplements, 199
Sodium-lithium countertransport
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Effect of dietary sodium reduction on red blood cell sodium concentration and sodium-lithium countertransport, 731
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Racial differences in erythrocyte cation transport, 115
Sodium transport and hypertension, 445
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159
Sodium loading
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Contribution of vasopressin and the sympathetic nervous system in the early phase of high sodium one-kidney renal hypertension, 848

Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Hemodynamic and endocrine changes associated with potassium supplementation in sodium-loaded hypertensives, 184
Importance of Cl and Na for NaCl dependent hypertension, A-42
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Pressor hyperresponsiveness in saline-infused rabbits, 503
Role of the renal nerves in one-kidney, one clip hypertension in rats, 622
Temperature dependence and bidirectional cation fluxes in red blood cells from spontaneously hypertensive rats, 42
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175

Sodium-potassium cotransport
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
Humoral Na^+-K^+ pump inhibiting factor in human essential hypertension and normotensive subjects before and after volume expansion, A-43
Interaction of internal Na^+ and external K^+ with the erythrocyte Na^+, K^+ cotransport system in essential hypertension, 352
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Red cell cotransport activity and sodium content in black men, 724
Red cell sodium countertransport and cotransport in normotensive and hypertensive blacks, 344
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Sodium transport and hypertension, 445
Temperature dependence and bidirectional cation fluxes in red blood cells from spontaneously hypertensive rats, 42
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159

Sodium pump
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
Humoral Na^+-K^+ pump inhibiting factor in human essential hypertension and normotensive subjects before and after volume expansion, A-43
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Sodium transport and hypertension, 445

Sodium sensitivity
Adrenergic activity and peripheral hemodynamics in relation to sodium sensitivity in patients with essential hypertension, 820
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Dietary effect on platelet aggregation in men with and without a family history of essential hypertension, 339
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Isoelectric focusing patterns of urinary kallikrein in Dahl salt-hypertension susceptible and resistant rats, 519
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152

Sodium transport
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
Interaction of internal Na^+ and external K^+ with the erythrocyte Na^+, K^+ cotransport system in essential hypertension, 352
Rat thymocyte sodium transport, 454
Sodium transport and hypertension, 445

Spasmogenic substance
Increased levels of new spasmogenic substances released by trypsin from plasma of hypertensive rats, 255

Sphygmomanometer
Ambulatory blood pressure recordings: reproducibility and unpredictability, C-110 (May–June)
Concurrent validity studies of blood pressure instrumentation: the Philadelphia Blood Pressure Project, 85

Spinal cord transection
Effects of sinoaortic denervation and of spinal cord transection on responses of renal nerves to intravenous vasopressin, A-28

Spironolactone
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425

Spontaneously hypertensive rat
Alterations in vascular sensitivity to vasoactive agents after discontinuation of propranolol in SHR, 249
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Blood pressure, lanthanum-, and norepinephrine-induced mechanical response in thoracic aortic tissue, 700
Cholinergic stimulation of vasopressin release in spontaneously hypertensive rats, 855
Connective tissue accumulation in the left coronary artery of young SHR, 526
Effect of methyldopa on brain cholinergic neurons involved in cardiovascular regulation, 614
Effects of captopril on vascular noradrenergic transmission in SHR, 660
Effects of high calcium intake on blood pressure and calcium metabolism in young SHR, 639
Enhanced synthesis of cardiac beta-receptors in spontaneously hypertensive rats, A-30
Epinephrine facilitates neurogenic vasoconstriction, A-29
Genetic relationship between a lymphocyte membrane abnormality and blood pressure in spontaneously hypertensive stroke prone (SHRSP) and Wistar Kyoto (WKY) rats, A-41
Hemodynamic effects of chronic alteration in hematocrit in spontaneously hypertensive rats, 262
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633
Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Is the hypertensive rat really hyperreactive? 868
Isoelectric focusing patterns of urinary kallikrein in Dahl salt-hypertension susceptible and resistant rats, 519
K prevents stroke death in hypertensive rats without lowering BP, A-40
Mechanism of phasic contractile activity in tail arteries from spontaneously hypertensive stroke-prone rats (SHR-SP), A-11
Microvascular adaptation in the cerebral cortex of adult spontaneously hypertensive rats, 408
Microvascular pressure, flow, and resistance in spontaneously hypertensive rats, 877
Neural and local control of arterioles in SHR, 530
Noradrenergic transmission in the isolated portal vein of the spontaneously hypertensive rat, 267
Possible role of nutritional factors in the incidence of cerebral lesions in stroke-prone spontaneously hypertensive rats, 49
Presynaptic control of norepinephrine release in the spontaneously hypertensive rat (SHR), A-27
Rat thymocyte sodium transport, 454
Role of brain dopamine in the development of spontaneous hypertension, 899
Temperature dependence and bidirectional cation fluxes in red blood cells from spontaneously hypertensive rats, 42
Vascular angiotensin II receptors in SHR, 682

Sprague-Dawley rat
Importance of Cl and Na for NaCl dependent hypertension, A-42

Stenosis, renal
Accelerated hypertension in a 64-year-old white woman, 767

Evaluation of patients with renovascular hypertension, 589, 591
Steroids
Adrenal steroid responses to ACTH in glucocorticoid-suppressible aldosteronism, 563
A specific receptor for atrial natriuretic factor mediates inhibition of steroidogenesis in cultured bovine adrenal cells, A-7
Vascular responses to serotonin in steroid hypertensive rats, 887
Stress
Ambulatory blood pressure recordings: reproducibility and unpredictability, C-110 (May–June)
Is the hypertensive rat really hyperreactive? 868
Reduction of chronic psychosocial hypertension in mice by decaffeinated tea, 437
Relaxation, pharmacotherapy and their interaction in the treatment of mild hypertension, A-53
Stroke-prone
Genetic relationship between a lymphocyte membrane abnormality and blood pressure in spontaneously hypertensive stroke prone (SHRSP) and Wistar Kyoto (WKY) rats, A-41
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633
K prevents stroke death in hypertensive rats without lowering BP, A-40
Mechanism of phasic contractile activity in tail arteries from spontaneously hypertensive stroke-prone rats (SHR-SP), A-11
Possible role of nutritional factors in the incidence of cerebral lesions in stroke-prone spontaneously hypertensive rats, 49
Role of brain dopamine in the development of spontaneous hypertension, 899
Structure, cardiac
Diastolic function of the heart in untreated primary hypertension, 329
Submandibular gland
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Substrate analog inhibitors
Highly specific substrate analog inhibitors of human urinary kallikrein, A-24
Supraoptic nucleus
Cholinergic stimulation of vasopressin release in spontaneously hypertensive rats, 855
Sympathetic nervous system
The area of rostral ventrolateral medulla containing C1 adrenaline neurons mediates the hypertension produced by lesions of A1 noradrenergic neurons, A-25
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Chronic angiotensin II infusion decreases renal norepinephrine overflow in conscious dogs, 675
Contribution vasopressin and the sympathetic nervous system in the early phase of high sodium one-kidney renal hypertension, 848
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Dynorphins are neurotransmitters in cardiac sympathetic nerves, A-32
Effects of captopril on vascular noradrenergic transmission in SHR, 660
Effects of sinoaortic denervation and of spinal cord transection on responses of renal nerves to intravenous vasopressin, A-28
Endogenous intrarenal adenosine produces hypertension via afferent renal nerves in the one-kidney one-clip rat, A-35
Epinephrine facilitates neurogenic vasoconstriction, A-29
Gamma$_2$ (γ_2) MSH: a hypertensogenic peptide derived from proopiocortin, A-50
Human chromogranin A (CgA), the major catecholamine storage vesicle (CSV) soluble protein: purification from CSV of pheochromocytoma (Pheo), quantitation by RIA, and evaluation of plasma CgA (pCgA) as an index of exocytotic sympathoadrenal activity in normal and hypertensive man, A-31
Human chromogranin A: purification and characterization from catecholamine storage vesicles of human pheochromocytoma, 2
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Left ventricular mass reduction during salt depletion in arterial hypertension, 755
Natriuretic and hypertensive activities reside in a fragment of ACTH, 468
Ontogeny of neural and non-neural contributions to arterial blood pressure in spontaneously hypertensive rats, 54
Presynaptic control of norepinephrine release in the spontaneously hypertensive rat (SHR), A-27
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Sodium-induced attenuation in vivo of alpha$_2$ adrenoceptor agonist function, A-26
Sympathetic activity and cardiac adrenergic receptors in one-kidney, one clip hypertension in rats, 654
Sympathetic outflow to muscles during treatment of hypertension with metoprolol, 557
Sympathetic vasoconstriction sensitive to alpha 2-adrenergic receptor blockade, 915
Syncope
Recurrent syncope due to systemic mastocytosis, 285

T

Tail arteries
Mechanism of phasic contractile activity in tail arteries from spontaneously hypertensive stroke-prone rats (SHR-SP), A-11
Tea drinking
Reduction of chronic psychosocial hypertension in mice by decaffeinated tea, 437
Temperature
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Teprotide
Role of endothelium in conversion of angiotensin I to angiotensin II in rabbit aorta, 216
Tetrodotoxin
Neural and local control of arterioles in SHR, 530
Therapy
Accelerated hypertension in a 64-year-old white woman, 767
The Australian Therapeutic Trial in Mild Hypertension. Letter, 774
Beta-blockers, autoregulation, and experimental design, 140
Contributions of autoregulatory mechanisms to the antihypertensive actions of beta-adrenergic therapy, 137
Effect of antihypertensive treatment on the behavioral consequences of elevated blood pressure, 202
Evaluation of patients with renovascular hypertension, 589
Hypertensive cardiovascular disease, 934
Relaxation, pharmacotherapy and their interaction in the treatment of mild hypertension, A-53
Sympathetic outflow to muscles during treatment of hypertension with metoprolol, 557
Tumor-dependent hypertension, 593
Thorax
Blood pressure, lanthanum-, and norepinephrine-induced mechanical response in thoracic aortic tissue, 700
Thymocytes
Rat thymocyte sodium transport, 454
Tissue sodium
Hypertension-producing factor in serum of hypertensive Dahl salt-sensitive rats, 709
Tissue specificity
Tissue and gene specificity of mouse renin expression, 597
Tonin
Kininogenase activity of tonin, 222
Total peripheral resistance
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in conscious rats, 689
Hemodynamic effects of chronic alteration in hematocrit in spontaneously hypertensive rats, 262

Tracking
Factors related to tracking of blood pressure in children, 307
Transcript length variation
Tissue and gene specificity of mouse renin expression, 597
Translatable renin mRNA
Influence of androgen on translatable renin mRNA in the mouse submandibular gland, 605
Transluminal angioplasty
Evaluation of patients with renovascular hypertension, 589
Evaluation of patients with renovascular hypertension: another view, 591
Transport
Acute local effects of angiotensin II on the intestinal vasculature, 13
Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats, 647
Changes in leucocyte sodium transport in normotensive relatives of hypertensive subjects, 369
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425
Erythrocyte cation cotransport and countertransport in essential hypertension, 360
Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
Hypertensive and osmotic disruption of the blood-brain barrier: vesicles or tight junctions? A-39
Interaction of internal Na^+ and external K^+ with the erythrocyte Na^+, K^+ cotransport system in essential hypertension, 352
Low sodium cotransport in red cells with physiological internal sodium concentration in essential hypertension, 826
Racial differences in erythrocyte cation transport, 115
Rat thymocyte sodium transport, 454
Red cell cotransport activity and sodium content in black men, 724
Red cell sodium countertransport and cotransport in normotensive and hypertensive blacks, 344
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Sodium transport and hypertension, 445
Temperature dependence and bidirectional cation fluxes in red blood cells from spontaneously hypertensive rats, 42
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159
Trypsin
Effects of sodium depletion on inactive and active renin from dog kidney and plasma, 391
Increased levels of new spasmogenic substances released by trypsin from plasma of hypertensive rats, 255
Trypsin-released spasmogenic substances
Increased levels of new spasmogenic substances released by trypsin from plasma of hypertensive rats, 255
Tubular reabsorption
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175
Tumor
Angiotensinogen-producing hepatocellular carcinoma, 931
Chemotherapy of malignant pheochromocytoma in man, A-9
Diagnosis and treatment of renin-secreting tumors, 760
Primary hyperaldosteronism in childhood due to unilateral macronodular hyperplasia: case report, 75
Tumor-dependent hypertension, 593

U

United States Center for Health Statistics
Factors related to tracking of blood pressure in children, 307
High blood pressure in older Americans, 802
Uptake mechanisms
Decreased uptake of ^3H-serotonin and endogenous content of serotonin in blood platelets in hypertensive patients, 568
Urbanization
Blood pressure and associated factors in a rural Kenyan community, 810
Urinary adenosine
Endogenous intrarenal adenosine produces hypertension via afferent renal nerves in the one-kidney one-clip rat, A-35
Urinary electrolytes
Blood pressure and associated factors in a rural Kenyan community, 810
Elevated urinary free 19-nor-deoxycorticosterone in essential hypertension, A-8
Hemodynamic characterization of hypertension induced by chronic intrarenal or intravenous infusion of norepinephrine in consicous rats, 689
Urinary kallikrein
Highly specific substrate analog inhibitors of human urinary kallikrein, A-24
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511
Isoelectric focusing patterns of urinary kallikrein in Dahl salt-hypertension susceptible and resistant rats, 519
Urinary renin excretion
Urinary excretion of renin and its biochemical properties in dogs, 837
Urinary sodium excretion
Increased plasma norepinephrine in young patients with essential hypertension under three sodium intakes, 315
Utah adults
Three red cell sodium transport systems in hypertensive and normotensive Utah adults, 159

V

Vagal afferents
Central effect of intravenous phenylephrine on baroreflex control of renal nerves, 906
Location of the area postrema pressor pathway in the dog brain stem, 482
Vascular dilation
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Vascular permeability
Acute local effects of angiotensin II on the intestinal vasculature, 13
Increased susceptibility to osmotic disruption of the blood-brain barrier in chronic hypertension, 633
Vascular reactivity
Additive effects of aldosterone with vasopressin or angiotensin, 242
Alterations in vascular sensitivity to vasoactive agents after discontinuation of propranolol in SHR, 249
Cardiovascular and renal action of platelet-activating factor in anesthetized dogs, 489
Converting-enzyme inhibition corrects the altered adrenal response to angiotensin II in essential hypertension, 92
Dexamethasone hypertension in rats, 236
Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Location of the area postrema pressor pathway in the dog brain stem, 482
Mechanism of phasic contractile activity in tail arteries from spontaneously hypertensive stroke-prone rats (SHR-SP), A-11
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Salt sensitivity in humans is linked to enhanced sympathetic responsiveness and to enhanced proximal tubular reabsorption, 152
State of the art lecture: the endothelium-derived vascular relaxing factor, A-36
Sympathetic vasoconstriction sensitive to alpha$_2$-adrenergic receptor blockade, 915
Vascular angiotensin II receptors in SHR, 682
Vascular responses to serotonin in steroid hypertensive rats, 887
Vasomotion of renal blood flow in essential hypertension, 579
Vasopressor hyperresponsiveness in New Zealand genetically hypertensive rats, 861
Vascular receptors
Evidence for the existence of vascular alpha^2-adrenergic receptors in humans, 551

Influence of captopril and enalapril on regional vascular alpha-adrenergic receptor reactivity in SHR, 666
Vascular resistance
Adrenergic activity and peripheral hemodynamics in relation to sodium sensitivity in patients with essential hypertension, 820
Microvascular pressure, flow, and resistance in spontaneously hypertensive rats, 877
Neural and local control of arterioles in SHR, 530
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Vascular smooth muscle
Additive effects of aldosterone with vasopressin or angiotensin, 242
Cadmium effect on the Na, K-ATPase system in cultured vascular smooth muscle cells, 20
Direct action of aldosterone on transmembrane ^{22}Na efflux from arterial smooth muscle, 425
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Temperature dependence of ionic transport and norepinephrine stimulation of rat aorta during DOCA hypertension, 460
Vascular structure
Diastolic function of the heart in untreated primary hypertension, 329
Vasoconstriction
Epinephrine facilitates neurogenic vasoconstriction, A-29
Evidence for the existence of vascular alpha^2-adrenergic receptors in humans, 551
Sodium channel blockers are vasodilator and depressor as well as natriuretic and diuretic, A-44
Sympathetic vasoconstriction sensitive to alpha$_2$-adrenergic receptor blockade, 915
Vasodilation
Sodium channel blockers are vasodilator and depressor as well as natriuretic and diuretic, A-44
Vasopressin
Additive effects of aldosterone with vasopressin or angiotensin, 242
Antihypertensive effect of MK-421 in rats, 229
Cardiovascular hemodynamics and vasopressin blockade in DOCA-salt hypertensive rats, 397
Cholinergic stimulation of vasopressin release in spontaneously hypertensive rats, 855
Contribution of vasopressin and the sympathetic nervous system in the early phase of high sodium one-kidney renal hypertension, 848
Effects of sinoaortic denervation and of spinal cord transection on responses of renal nerves to intravenous vasopressin, A-28
Inhibitory effect of the synthetic atrial natriuretic factor on vasopressin release from the isolated neurohypophysis of the rat, A-1
Regional hemodynamic effects of antihypertensive renomedullary lipids in conscious rats, 494
Role of cardiopulmonary mechanoreceptors in ADH release in normal humans, 832
Sex differences in the endocrine predictors of essential hypertension—vasopressin vs renin, A-51
Vasopressor hyperresponsiveness in New Zealand genetically hypertensive rats, 861
Vegetarians
Stability of blood pressure in vegetarians receiving dietary protein supplements, 199
Veins
Chronic arterial and venous catheterization of conscious, unrestrained rats, 926
Dilation of forearm blood vessels after angiotensin-converting-enzyme inhibition by captopril in hypertensive patients, 545
Vena cava
Investigations of components of the renin-angiotensin system in rat vascular tissue, 383
Volume expansion
Differential effect of salt loading on sodium and lithium excretion in Dahl salt-resistant and -sensitive rats, 420
Humoral Na^+-K^+ pump inhibiting factor in human essential hypertension and normotensive subjects before and after volume expansion, A-43
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511

W

Wall stress
Cardiac hypertrophy and performance of Dahl hypertensive rats on graded salt diets, 475
Wall thickness
Diastolic function of the heart in untreated primary hypertension, 329
Water balance
Polyuria, polydypsia, and hypertension proluced by a six-day intravenous infusion of prostaglandin E_1 in the conscious dog, 431
Water excretion
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175
Water loading
Increased urinary kallikrein-like activity during ADH-induced hyponatremia in rats, 511
Urinary kallikrein response to acute saline or water loads in hypertensive and normal humans, 175
Weight reduction
Importance of dietary salt in the hemodynamic adjustment to weight reduction in obese hypertensive men, 814
White blood cells
Sodium transport and hypertension, 445
White population
Erythrocyte Na^+, K^+ cotransport and Na^+, K^+ pump in black and Caucasian hypertensive patients, 536
Racial differences in erythrocyte cation transport, 115
Wistar-Kyoto rat
Effects of captopril on vascular noradrenergic transmission in SHR, 660
Is the hypertensive rat really hyperreactive? 868
Role of brain dopamine in the development of spontaneous hypertension, 899

X

Xenon
Vasomotion of renal blood flow in essential hypertension, 579

Y

Yohimbine
Evidence for the existence of vascular alpha$_2$-adrenergic receptors in humans, 551

Z

Zona fasciculata
Immunoreactive renin in mouse adrenal gland, 275
Zona glomerulosa hyperplasia
Further evaluation of saline infusion for the diagnosis of primary aldosteronism, 717
Zona reticularis
Immunoreactive renin in mouse adrenal gland, 275

Index to Volume 6 Supplements

JANUARY-DECEMBER 1984

SUPPLEMENT I
NEUROENDOCRINE, VASCULAR, AND
RENAL ELEMENTS OF HYPERTENSION

SUPPLEMENT II
CENTRAL α-ADRENERGIC BLOOD
PRESSURE REGULATING MECHANISMS

SUPPLEMENT III
PATHOPHYSIOLOGY AND CLINICAL IMPLICATIONS
OF EARLY STRUCTURAL CHANGES

AUTHOR INDEX

A

Aberdeen JA, II-63
Abrams WB, II-87
Alexander RW, I-19
Alpert NR, III-50
Atarashi K, I-124
Atlas SA, I-143

B

Badoer E, II-63
Baetge EE, II-1
Barnett A, I-25
Baumbach GL, I-75
Beart P, II-40
Bender W, I-193
Berglund G, III-174
Bevan RD, III-19
Bishop SP, III-38
Blaine EH, I-111
Bobik A, II-63
Bock KD, III-158
Boger J, I-111
Bohle RM, III-87
Bohr DF, I-88
Bolli P, I-166
Bresnahan M, I-1
Brock TA, I-19
Brown AJ, I-177
Brown MJ, II-57
BSuhler FR, I-166
Bulpitt CJ, II-82
Bulpitt PF, II-82
Bürgisser E, I-166
Buu NT, I-51

C

Campbell BC, II-71
Carey RM, I-119
Caron MG, II-22
Carroll RG, I-177
Chalmers JP, II-16
Chobanian AV, I-62
Choy V, II-16
Clement DL, III-122
Clubb FJ Jr, III-38
Colucci WS, I-19
Conway E, II-40
Cowley AW Jr, I-iii
Coyle P, I-69

D

Daymond M, II-82
Dickinson KEJ, II-22
Doi Y, I-124
Dollery CT, II-82
Donovan KR, I-106
Drake CR Jr, I-119
Duprez D, III-122
Durieux ME, I-106
Dzau VJ, I-101

E

Erne P, I-166

F

Falardeau P, I-161
Fennell WH, I-40
Folkow B, III-iii, III-1, III-100, III-185
Fouad FM, III-140
Franco-Saenz R, I-124
Freed CR, II-34
Frohlich ED, II-76

G

Ganguli MC, I-148, I-170
Gavras H, I-1, I-156
Gavras I, I-156
Genest J, I-51
Gerkens JF, II-45
Gilligan JP, III-44
Gimbrone MA Jr, I-19
Ginos JZ, I-40
Glock D, I-25
Goldberg LI, I-25
Goldberg MR, II-45
Göthberg G, III-100
Graham RM, I-7
Granata AR, II-7
Granger JP, I-183
Groene HG, III-87
Guyton AC, I-177

H

Hall JE, I-183
Hamet P, I-51
Hamilton CA, II-71

Hansson L, III-147
Hartland D, II-57
Hartley K, II-82
Haudenschild CC, I-62
Hayashi T, I-95
Head GA, II-63
Healy DP, I-130
Heistad DD, I-75
Helmchen U, III-87
Hess H-J, I-7
Hicks PE, I-12
Hirata Y, I-148
Hirose S, I-95
Hollister AS, II-45
Homcy CJ, I-7
Horan MJ, I-207
Hori H, I-95
Horie R, III-27
Hunyor SN, III-128
Hypertension Detection and Follow-Up Program Cooperative Group, I-198

I

Iadecola C, I-75
Igawa T, III-27
Imai T, I-95
Inagaki T, I-137
Inagami T, I-137
Iwai J, I-148, I-170

J

Januszewicz A, I-143
Jarrott B, II-40
Ji BH, I-166
Joh TH, II-1, II-7, II-22
Johansson B, III-64
Johansson BB, III-81
Johnson MA, I-170

K

Kageyama R, I-95
Kanbe T, III-27
Kardon MB, II-76
Kihara M, III-27
Kleinert HD, I-143
Kneissler U, III-87
Kohli JD, I-25
Kohlmann O Jr, I-1, I-156
Korner PI, II-63
Kuchel O, I-51

L

La France N, I-193
Lamb FS, I-88
Langer SZ, I-12
Laragh JH, I-143
Larochelle P, I-51
Leeb-Lundberg LMF, II-22
Lefkowitz RJ, II-22
Levenson JA, III-117
Limas C, I-31
Limas CJ, I-31
Littler WA, III-179
Lohmeier TE, I-177
Longnecker DE, I-106
Louis WJ, II-40

M

Maack T, I-143
MacNeill D, I-170
Mancia G, III-93
Margolius HS, I-46
Mark AL, III-69
Martineau A, I-161
Medgett IC, I-12
Messerli FH, II-76
Miller ED Jr, I-106
Minson JB, II-16
Mitchell JR, I-40
Miyazaki H, I-95
Moreland RS, I-88
Motz W, III-133
Mulieri LA, III-50
Mulinari RA, I-156
Mulrow PJ, I-124
Mulvany MJ, III-13
Murakami K, I-95
Murphy MB, II-57

N

Nakanishi S, I-95
Nara Y, III-27
Nelson EB, I-40
Nordlander MIL, III-58

O

Oates JA, II-45
Ohkubo H, I-95
Oparil S, III-38
Overbeck HW, I-82

P

Page IH, I-208
Park DH, II-7
Peach MJ, I-106
Pegram BL, II-76
Pickel VM, II-22
Pool JL, I-40
Pratt RE, I-101
Premen AJ, I-183
Printz MP, I-130
Privitera PJ, I-46

R

Ramos O, I-156
Reid JL, II-71
Reis DJ, I-75, II-1, II-7
Ribeiro AB, I-156
Robertson D, II-45
Robillard M, I-161
Ross CA, II-7
Roy P, I-51
Ruggiero DA, II-7
Ruud CO, I-40

S

Sadoshima S, I-75
Safar ME, III-117
SaragoXca M, I-156
Schorn TW, I-111
Schwartz SM, I-56, III-33
Sealey JE, I-143
Seidman CE, I-7
Simon AC, III-117
Sivertsson R, III-103, III-147
Smith MJ Jr, I-183
Spector S, III-44
Spence JD, III-163
Strader CD, II-22
Strauer BE, III-4, III-74, III-133
Struthers AD, II-57
Summers R, II-40
Sweet CS, II-51

T

Tagami M, III-27
Tamaki K, I-75
Tarazi RC, III-140
Taylor AA, I-40
Thibodeaux H, I-46
Thomas GR, I-46
Thoolen MJMC, II-28
Tillman LJ, I-177
Timmermans PBMWM, II-28
Tobian L, I-148, I-170
Trimarco B, III-150
Tung C-S, II-45

U

U'Prichard DC, II-34

V

van Zwieten PA, II-28

W

Walker WG, I-193
Wang CH, II-34
Webb RC, I-88
Wikstrand J, III-108, III-150
Wilhelmsen L, III-169

Y

Yamori Y, III-27

Z

Zanchetti A, III-93

Index to Volume 6 Supplements

HYPERTENSION JANUARY-DECEMBER 1984

SUBJECT INDEX

A

Acute focal arterial necrosis
Intrarenal arteries in rats with early two-kidney, one clip hypertension, III-87

Adenylate cyclase
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31

Adrenal gland
Effect of changes in sodium or potassium balance, and nephrectomy, on adrenal renin and aldosterone concentrations, I-124

Adrenaline, *see* Epinephrine

Adrenergic receptors
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Changes in brain α-adrenergic receptors after α-methyldopa administration to spontaneously hypertensive rats, II-34
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28
In summary: Satellite Symposium on Central α-Adrenergic Blood Pressure Regulating Mechanisms, II-87
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22
New centrally acting antihypertensive drugs related to methyldopa and clonidine, II-51
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19

Adrenergic receptors, antagonists
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Effect of centrally acting α-andrenergic agonists on sympathetic nervous system function in humans, II-57
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22
New centrally acting antihypertensive drugs related to methyldopa and clonidine, II-51
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71

Adrenocorticotrophic hormone (ACTH)
Effect of changes in sodium or potassium balance, and nephrectomy, on adrenal renin and aldosterone concentrations, I-124

Affinity chromotrography
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22

Age
Blood pressure lowering diminishes age-related changes in the rat aortic intima, I-62

Aldosterone
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119
Effect of changes in sodium or potassium balance, and nephrectomy, on adrenal renin and aldosterone concentrations, I-124
Role of renal hemodynamics and arterial pressure in aldosterone escape, I-183

Amiloride
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88

Amine transmitters
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40

Amino acid sequence
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Complementary DNA sequences of renin. State-of-the-art review, I-95
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101

Analogs
Statine-containing renin inhibitor. Dissociation of blood pressure lowering and renin inhibition in sodium-deficient dogs, I-111

Angina pectoris
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198

Angiotensin
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Effect of changes in sodium or potassium balance, and nephrectomy, on adrenal renin and aldosterone concentrations, I-124
Saralasin dilates arterioles in SHR but not WKY rats, I-106

Angiotensin I
Distribution of immunoreactive angiotensin II, angiotensin I, angiotensinogen, and renin in the central nervous system of intact and nephrectomized rats, I-130
Mechanism of deterioration in renal function in patients with renovascular hypertension treated with enalapril, I-193

Angiotensin II
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Distribution of immunoreactive angiotensin II, angiotensin I, angiotensinogen, and renin in the central nervous system of intact and nephrectomized rats, I-130
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119
Mechanism of deterioration in renal function in patients with renovascular hypertension treated with enalapril, I-193

Angiotensinogen
Distribution of immunoreactive angiotensin II, angiotensin I, angiotensinogen, and renin in the central nervous system of intact and nephrectomized rats, I-130

Animal studies, dog
Malignant hypertensive crisis induced by chronic intrarenal norepinephrine infusion, I-177
Role of renal hemodynamics and arterial pressure in aldosterone escape, I-183
Separation of peripheral dopamine receptors by a selective DA$_1$ antagonist, SCH 23390, I-25
Statine-containing renin inhibitor. Dissociation of blood pressure lowering and renin inhibition in sodium-deficient dogs, I-111

Animal studies, frog
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22
Animal studies, monkey
Hemodynamic effects of antihypertensive drugs, III-163
Animal studies, mouse
Complementary DNA sequences of renin. State-of-the-art review, I-95
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101
Animal studies, rabbit
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Hemodynamic effects of antihypertensive drugs, Iii-163
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Animal studies, rat
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Blood pressure lowering diminishes age-related changes in the rat aortic intima, I-62
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Cerebral vascular bed in hypertension and consequences for the brain, III-81
Changes in brain α-adrenergic receptors after α-methyldopa administration to spontaneously hypertensive rats, II-34
Consequences of structural renovascular changes for renal barostat function, III-100
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31
Defective synthesis of vasodilator prostaglandins in the spontaneously hypertensive rat, I-161
Different types of smooth muscle hypertrophy, III-64
Distribution of immunoreactive angiotensin II, angiotensin I, angiotensinogen, and renin in the central nervous system of intact and nephrectomized rats, I-130
Early versus late onset of therapy, III-185
Effect of changes in sodium or potassium balance, and nephrectomy, on adrenal renin and aldosterone concentrations, I-124
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40
Functional consequences of structural adaptation of the heart in hypertension, III-58
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Intrarenal arteries in rats with early two-kidney, one clip hypertension, III-87
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22
Myocardial cell hypertrophy or hyperplasia, III-38
New centrally acting antihypertensive drugs related to methyldopa and clonidine, II-51
A new form of inactive renin in rat brain. A latent renin, I-137
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Regression of structural cardiovascular changes by antihypertensive therapy, III-133
Saralasin dilates arterioles in SHR but not WKY rats, I-106
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Antibodies
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Antihypertensive actions
Antihypertensive metabolites of α-methyldopa, II-45
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Changes in brain α-adrenergic receptors after α-methyldopa administration to spontaneously hypertensive rats, II-34
Early versus late onset of 'herapy, III-185
Effects of antihypertensive treatment on prognosis, III-174
Effects of various drug regimens, III-179
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40
Fifteen-year survival of patients beginning treatment with methyldopa between 1962 and 1966, II-82
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hemodynamic and cardiac effects of centrally acting antihypertensive drugs, II-76
Hemodynamic effects of antihypertensive drugs, III-163
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28
In summary: Satellite Symposium on Central α-Adrenergic Blood Pressure Regulating Mechanisms, II-87
New centrally acting antihypertensive drugs related to methyldopa and clonidine, II-51
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Regression of structural cardiovascular changes by antihypertensive therapy, III-133
Regression of structural cardiovascular changes by antihypertensive therapy, III-147
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158
Reversal of cardiac hypertrophy in humans, III-140
Structural changes of large arteries in sustained essential hypertension, III-117
Synthesis of collagen in cardiac and vascular walls, III-44
Aorta, rabbit
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Aorta, rat
Blood pressure lowering diminishes age-related changes in the rat aortic intima, I-62
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88
Aortic wall thickening
Brief historical background and principal nature of process, III-1
Determinants of vascular hemodynamic characteristics, III-13
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hypertension as a vascular response to injury, III-33
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Myocardial cell hypertrophy or hyperplasia, III-38
Apomorphine
Separation of peripheral dopamine receptors by a selective DA$_1$ antagonist, SCH 23390, I-25
Aprotinin
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46

Arteries
Circulatory changes in muscle and skin arteries in primary hypertension, III-122
Hypertension as a vascular response to injury, III-33
Intrarenal arteries in rats with early two-kidney, one clip hypertension, III-87
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158
Structural cardiovascular adaptation and the consequences for baroreflexes, III-93
Structural changes of large arteries in sustained essential hypertension, III-117
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Arterioles
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Regression of structural cardiovascular changes by antihypertensive therapy, III-147
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158
Saralasin dilates arterioles in SHR but not WKY rats, I-106
Arteriovenous anastomoses
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Aspartyl proteinase
Complementary DNA sequences of renin. State-of-the-art review, I-95
Atherosclerosis
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Atrial natriuretic factor
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Australian National Blood Pressure Study
Effects of antihypertensive treatment on prognosis, III-174
Autonomic nervous system
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Regional sources of free and sulfoconjugated catecholamines in hypertension, I-51
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Separation of peripheral dopamine receptors by a selective DA$_1$ antagonist, SCH 23390, I-25
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Autoregulation
Cerebral vascular bed in hypertension and consequences for the brain, III-81
Consequences of structural renovascular changes for renal barostat function, III-100
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158
Azidobenzoyl piperazin aminodimethoxyquinazoline
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Azidoiodobenzoyl piperazin aminodimethoxyquinazoline
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7

B

Baroreceptors
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Consequences of structural renovascular changes for renal barostat function, III-100
Structural adaptation in borderline hypertension, III-103
Structural cardiovascular adaptation and the consequences for baroreflexes, III-93
Benzazepine
Separation of peripheral dopamine receptors by a selective DA$_1$ antagonist, SCH 23390, I-25
Bergen, Norway, Study
The main end-points in human hypertension, III-169
Beta blockers
Effects of various drug regimens, III-179
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hemodynamic effects of antihypertensive drugs, III-163
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27
Biotransformation sites
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Bladder
Different types of smooth muscle hypertrophy, III-64
Blood-brain barrier
Cerebral vascular bed in hypertension and consequences for the brain, III-81
Evidence that disruption of the blood-brain barrier precedes reduction in cerebral blood flow in hypertensive encephalopathy, I-75
Blood pressure measurement
Intrarenal arteries in rats with early two-kidney, one clip hypertension, III-87
Blood pressure regulation
Blood pressure lowering diminishes age-related changes in the rat aortic intima, I-62
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46
Effect of centrally acting α-andrenergic agonists on sympathetic nervous system function in humans, II-57
Fifteen-year survival of patients beginning treatment with methyldopa between 1962 and 1966, II-82
Hemodynamic and cardiac effects of centrally acting antihypertensive drugs, II-76
In summary: Satellite Symposium on Central α-Adrenergic Blood Pressure Regulating Mechanisms, II-87
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Statine-containing renin inhibitor. Dissociation of blood pressure lowering and renin inhibition in sodium-deficient dogs, I-111
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71
Blood velocity
Hemodynamic effects of antihypertensive drugs, III-163
Brain
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7

Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Cerebral vascular bed in hypertension and consequences for the brain, III-81
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46
Changes in brain α-adrenergic receptors after α-methyldopa administration to spontaneously hypertensive rats, II-34
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40
Evidence that disruption of the blood-brain barrier precedes reduction in cerebral blood flow in hypertensive encephalopathy, I-75
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28
New centrally acting antihypertensive drugs related to methyldopa and clonidine, II-51
A new form of inactive renin in rat brain. A latent renin, I-137
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71

Brain stem
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7

C

Calcium antagonists
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4

Calcium flux
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19

Calcium platelet
Free calcium concentration in platelets closely relates to blood pressure in normal and essentially hypertensive subjects, I-166

Cancer
The main end-points in human hypertension, III-169

Capillary permeability
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128

Captopril
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69

Carbon monoxide
Myocardial cell hypertrophy or hyperplasia, III-38

Cardiac factors
Brief historical background and principal nature of process, III-1
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46
The coronary circulation in hypertensive heart disease, III-74
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31
SHR, I-31
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198
Effects of various drug regimens, III-179
Fifteen-year survival of patients beginning treatment with methyldopa between 1962 and 1966, II-82
Functional consequences of structural adaptation of the heart in hypertension, III-58
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hemodynamic and cardiac effects of centrally acting antihypertensive drugs, II-76
Hemodynamic effects of antihypertensive drugs, III-163
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Left ventricular function in early primary hypertension, III-108
The main end-points in human hypertension, III-169
Myocardial cell hypertrophy or hyperplasia, III-38
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Regression of structural cardiovascular changes by antihypertensive therapy, III-133
Reversal of cardiac hypertrophy in humans, III-140
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Structural adaptation in borderline hypertension, III-103
Synthesis of collagen in cardiac and vascular walls, III-44
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128

Carotid stenosis
Hemodynamic effects of antihypertensive drugs, III-163

Catecholamines
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27
Malignant hypertensive crisis induced by chronic intrarenal norepinephrine infusion, I-177

Catecholamines, free
Regional sources of free and sulfoconjugated catecholamines in hypertension, I-51

Catecholamines, plasma
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119

Catecholamines, storage
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1

Catecholamines, sulfated
A new form of inactive renin in rat brain. A latent renin, I-137
Regional sources of free and sulfoconjugated catecholamines in hypertension, I-51

Catecholamines, tissue
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1

Catecholamines, vascular
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19

Cell proliferation
Brief historical background and principal nature of process, III-1
Determinants of vascular hemodynamic characteristics, III-13
Different types of smooth muscle hypertrophy, III-64
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hypertension as a vascular response to injury, III-33

Central nervous system
Antihypertensive metabolites of α-methyldopa, II-45
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46
Changes in brain α-adrenergic receptors after α-methyldopa administration to spontaneously hypertensive rats, II-34
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31
Distribution of immunoreactive angiotensin II, angiotensin I, angiotensinogen, and renin in the central nervous system of intact and nephrectomized rats, I-130
Effect of centrally acting α-andrenergic agonists on sympathetic nervous system function in humans, II-57

Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40
Fifteen-year survival of patients beginning treatment with methyldopa between 1962 and 1966, II-82
Hemodynamic and cardiac effects of centrally acting antihypertensive drugs, II-76
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28
In summary: Satellite Symposium on Central α-Adrenergic Blood Pressure Regulating Mechanisms, II-87
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22
New centrally acting antihypertensive drugs related to methyldopa and clonidine, II-51
A new form of inactive renin in rat brain. A latent renin, I-137
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Regional sources of free and sulfoconjugated catecholamines in hypertension, I-51
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Separation of peripheral dopamine receptors by a selective DA$_1$ antagonist, SCH 23390, I-25
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71

Cerebral blood flow
Cerebral vascular bed in hypertension and consequences for the brain, III-81
Evidence that disruption of the blood-brain barrier precedes reduction in cerebral blood flow in hypertensive encephalopathy, I-75

Cerebral hemorrhage
Evidence that disruption of the blood-brain barrier precedes reduction in cerebral blood flow in hypertensive encephalopathy, I-75

Cerebral vessel morphometry
Cerebral vascular bed in hypertension and consequences for the brain, III-81

Cerebrospinal fluid
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46

Chlorotetrahydromethyl phenylbenzazepine
Separation of peripheral dopamine receptors by a selective DA$_1$ antagonist, SCH 23390, I-25

Chlorothiazide
Synthesis of collagen in cardiac and vascular walls, III-44

Cholesterol, serum
The main end-points in human hypertension, III-169

Chromotography
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22

CIBA Award for Hypertension Research, 1983
CIBA Award for Hypertension Research, I-211

Circulation cerebral
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19

Circulation, coronary
The coronary circulation in hypertensive heart disease, III-74

Circulation, limb arteries
Circulatory changes in muscle and skin arteries in primary hypertension, III-122

Circulation, muscle
Circulatory changes in muscle and skin arteries in primary hypertension, III-122

Clonidine
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Effect of centrally acting α-andrenergic agonists on sympathetic nervous system function in humans, II-57
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28
In summary: Satellite Symposium on Central α-Adrenergic Blood Pressure Regulating Mechanisms, II-87
New centrally acting antihypertensive drugs related to methyldopa and clonidine, II-51
Synthesis of collagen in cardiac and vascular walls, III-44
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71

Cloning
Complementary DNA sequences of renin. State-of-the-art review, I-95

Collagen
Cerebral vascular bed in hypertension and consequences for the brain, III-81
Synthesis of collagen in cardiac and vascular walls, III-44

Collateral protection
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69

Complementary DNA
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1

Contractility
Regression of structural cardiovascular changes by antihypertensive therapy, III-133

Converting-enzyme inhibition
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Mechanism of deterioration in renal function in patients with renovascular hypertension treated with enalapril, I-193

Coronary artery disease
The coronary circulation in hypertensive heart disease, III-74
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198

Coronary hemodynamics
The coronary circulation in hypertensive heart disease, III-74

Council for High Blood Pressure Research
CIBA Award for Hypertension Research, I-211
A history of the Council for High Blood Pressure Research. Past imperfect, present indicative, and future perfect, I-208

Covalent labeling
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7

CP59,430
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7

CP65,526
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7

Cremaster muscle
Saralasin dilates arterioles in SHR but not WKY rats, I-106

D

Dahl rat
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170

Denervation
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19

Desensitization
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31

Dexamethasone
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119

Diet
The main end-points in human hypertension, III-169

Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Digitalis
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Dihydroxytryptamine
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Distensibility
Left ventricular function in early primary hypertension, III-108
DNA
Complementary DNA sequences of renin. State-of-the-art review, I-95
Hypertension as a vascular response to injury, III-33
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1
Myocardial cell hypertrophy or hyperplasia, III-38
Dog, *see* Animal studies, dog
Dopamine
Antihypertensive metabolites of α-methyldopa, II-45
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Changes in brain α-adrenergic receptors after α-methyldopa administration to spontaneously hypertensive rats, II-34
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119
Effect of centrally acting α-andrenergic agonists on sympathetic nervous system function in humans, II-57
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40
Fifteen-year survival of patients beginning treatment with methyldopa between 1962 and 1966, II-82
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1
New centrally acting antihypertensive drugs related to methyldopa and clonidine, II-51
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Regional sources of free and sulfoconjugated catecholamines in hypertension, I-51
Separation of peripheral dopamine receptors by a selective DA_1 antagonist, SCH 23390, I-25
Doppler
Structural changes of large arteries in sustained essential hypertension, III-117
Down regulation
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31
Drugs, antihypertensive, *see* Antihypertensive actions

E

Early therapy
Early versus late onset of therapy, III-185
Echocardiography
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Reversal of cardiac hypertrophy in humans, III-140
Structural adaptation in borderline hypertension, III-103
Elastic modulus
Determinants of vascular hemodynamic characteristics, III-13
Electrogenic sodium pump
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88
Enalapril
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Mechanism of deterioration in renal function in patients with renovascular hypertension treated with enalapril, I-193
Encephalopathy
Evidence that disruption of the blood-brain barrier precedes reduction in cerebral blood flow in hypertensive encephalopathy, I-75
Endocrine factors
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Complementary DNA sequences of renin. State-of-the-art review, I-95
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Distribution of immunoreactive angiotensin II, angiotensin I, angiotensinogen, and renin in the central nervous system of intact and nephrectomized rats, I-130
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119
Effect of changes in sodium or potassium balance, and nephrectomy, on adrenal renin and aldosterone concentrations, I-124
Free calcium concentration in platelets closely relates to blood pressure in normal and essentially hypertensive subjects, I-166
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1
A new form of inactive renin in rat brain. A latent renin, I-137
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101
Saralasin dilates arterioles in SHR but not WKY rats, I-106
Statine-containing renin inhibitor. Dissociation of blood pressure lowering and renin inhibition in sodium-deficient dogs, I-111
Endothelium, denudation
Hypertension as a vascular response to injury, III-33
Enzymes, catecholamine-synthesizing
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1
Epinephrine
Antihypertensive metabolites of α-methyldopa, II-45
Free calcium concentration in platelets closely relates to blood pressure in normal and essentially hypertensive subjects, I-166
Regional sources of free and sulfoconjugated catecholamines in hypertension, I-51
Epinephrine neurons
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Eye
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158

F

Filtration fraction
Mechanism of deterioration in renal function in patients with renovascular hypertension treated with enalapril, I-193
Finger
Circulatory changes in muscle and skin arteries in primary hypertension, III-122
Forearm vessels
Circulatory changes in muscle and skin arteries in primary hypertension, III-122
Structural changes in resistance and capacitance vessels in borderline hypertension, III-69
Framingham Heart Study
The main end-points in human hypertension, III-169
Frog, *see* Animal studies, frog

G

Gene expression
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1

Genetics
Early versus late onset of therapy, III-185
Saralasin dilates arterioles in SHR but not WKY rats, I-106
Glomerular filtration
Consequences of structural renovascular changes for renal barostat function, III-100
Mechanism of deterioration in renal function in patients with renovascular hypertension treated with enalapril, I-193
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Role of renal hemodynamics and arterial pressure in aldosterone escape, I-183
Glycosylation site
Complementary DNA sequences of renin. State-of-the-art review, I-95
Goldblatt hypertension
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Intrarenal arteries in rats with early two-kidney, one clip hypertension, III-87
Götebörg Primary Prevention Study
Effects of antihypertensive treatment on prognosis, III-174
The main end-points in human hypertension, III-169
Guanfacine
Effect of centrally acting α-andrenergic agonists on sympathetic nervous system function in humans, II-57
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71

H

Heat liberation
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Hemodynamic effects
Brief historical background and principal nature of process, III-1
The coronary circulation in hypertensive heart disease, III-74
Determinants of vascular hemodynamic characteristics, III-13
Functional consequences of structural adaptation of the heart in hypertension, III-58
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hemodynamic and cardiac effects of centrally acting antihypertensive drugs, II-76
Hemodynamic effects of antihypertensive drugs, III-163
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Role of renal hemodynamics and arterial pressure in aldosterone escape, I-183
Structural changes of large arteries in sustained essential hypertension, III-117
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Hemorrhage
Hemodynamic effects of antihypertensive drugs, III-163
High performance liquid chromatography
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101
Human renin precursor
Complementary DNA sequences of renin. State-of-the-art review, I-95
Hybridization
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1
Hydralazine
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Hemodynamic effects of antihypertensive drugs, III-163
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Hydroxydopamine
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Hyperlipidemia
Hemodynamic effects of antihypertensive drugs, III-163
Hyperplasia
Hypertension as a vascular response to injury, III-33
Myocardial cell hypertrophy or hyperplasia, III-38
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Hypertension, aldosterone
Role of renal hemodynamics and arterial pressure in aldosterone escape, I-183
Hypertension and Kidney Diseases Branch report
Report from the Hypertension and Kidney Diseases Branch of the National Heart, Lung, and Blood Institute, I-207
Hypertension, borderline
Effects of various drug regimens, III-179
Structural adaptation in borderline hypertension, III-103
Structural changes in resistance and capacitance vessels in borderline hypertension, III-69
Hypertension Detection and Follow-Up Program
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198
Effects of antihypertensive treatment on prognosis, III-174
Hypertension, DOCA-salt
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69
Hypertension, essential
Brief historical background and principal nature of process, III-1
Circulatory changes in muscle and skin arteries in primary hypertension, III-122
Determinants of vascular hemodynamic characteristics, III-13
Early versus late onset of therapy, III-185
Effects of antihypertensive treatment on prognosis, III-174
Effects of various drug regimens, III-179
Free calcium concentration in platelets closely relates to blood pressure in normal and essentially hypertensive subjects, I-166
Functional consequences of structural adaptation of the heart in hypertension, III-58
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hemodynamic effects of antihypertensive drugs, III-163
Left ventricular function in early primary hypertension, III-108
The main end-points in human hypertension, III-169
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Regional sources of free and sulfoconjugated catecholamines in hypertension, I-51
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Regression of structural cardiovascular changes by antihypertensive therapy, III-147
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158
Reversal of cardiac hypertrophy in humans, III-140
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Structural cardiovascular adaptation and the consequences for baroreflexes, III-93
Structural changes in resistance and capacitance vessels in borderline hypertension, III-69
Structural changes of large arteries in sustained essential hypertension, III-117
Synthesis of collagen in cardiac and vascular walls, III-44
Hypertension, genetic
Defective synthesis of vasodilator prostaglandins in the spontaneously hypertensive rat, I-161
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27

Saralasin dilates arterioles in SHR but not WKY rats, I-106
Hypertension, low renin
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Hypertension, malignant
Effects of various drug regimens, III-179
Malignant hypertensive crisis induced by chronic intrarenal norepinephrine infusion, I-177
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158
Hypertension, one-kidney, one clip
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Hypertension, pregnancy-related
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128
Hypertension, primary, *see* Hypertension, essential
Hypertension, renovascular
Effects of a specific inhibitor of the vascular action of vasopressin in humans, I-156
Functional consequences of structural adaptation of the heart in hypertension, III-58
Mechanism of deterioration in renal function in patients with renovascular hypertension treated with enalapril, I-193
Structural cardiovascular adaptation and the consequences for baroreflexes, III-93
Hypertension research
Brief historical background and principal nature of process, III-1
CIBA Award for Hypertension Research, I-211
A history of the Council for High Blood Pressure Research. Past imperfect, present indicative, and future perfect, I-208
Hypertension, sodium chloride
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Hypertension, two-kidney, one clip
Consequences of structural renovascular changes for renal barostat function, III-100
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Intrarenal arteries in rats with early two-kidney, one clip hypertension, III-87
Hypertension, withdrawal
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71
Hypertrophy
Brief historical background and principal nature of process, III-1
The coronary circulation in hypertensive heart disease, III-74
Determinants of vascular hemodynamic characteristics, III-13
Different types of smooth muscle hypertrophy, III-64
Functional consequences of structural adaptation of the heart in hypertension, III-58
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hemodynamic and cardiac effects of centrally acting antihypertensive drugs, II-76
Hypertension as a vascular response to injury, III-33
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Left ventricular function in early primary hypertension, III-108
Myocardial cell hypertrophy or hyperplasia, III-38
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Regression of structural cardiovascular changes by antihypertensive therapy, III-133
Reversal of cardiac hypertrophy in humans, III-140
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Structural adaptation in borderline hypertension, III-103
Synthesis of collagen in cardiac and vascular walls, III-44
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128
Hypotensive response
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28

I

^{125}I-CP65,526
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Idazoxan
Effect of centrally acting α-andrenergic agonists on sympathetic nervous system function in humans, II-57
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Immunohistochemistry
Distribution of immunoreactive angiotensin II, angiotensin I, angiotensinogen, and renin in the central nervous system of intact and nephrectomized rats, I-130
Immunoreactivity
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22
A new form of inactive renin in rat brain. A latent renin, I-137
Infarction
Evidence that disruption of the blood-brain barrier precedes reduction in cerebral blood flow in hypertensive encephalopathy, I-75
The main end-points in human hypertension, III-169
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69
Injury
Hypertension as a vascular response to injury, III-33
Innervation
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Intestine
Different types of smooth muscle hypertrophy, III-64
Intrarenal infusion
Malignant hypertensive crisis induced by chronic intrarenal norepinephrine infusion, I-177
Ischemic heart disease
Fifteen-year survival of patients beginning treatment with methyldopa between 1962 and 1966, II-82
Isoproterenol
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31

K

Kallikrein-kinin system
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46
Kidney
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
CIBA Award for Hypertension Research, I-211
Consequences of structural renovascular changes for renal barostat function, III-100
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198

Effects of a specific inhibitor of the vascular action of vasopressin in humans, I-156
A history of the Council for High Blood Pressure Research. Past imperfect, present indicative, and future perfect, I-208
Intrarenal arteries in rats with early two-kidney, one clip hypertension, III-87
Malignant hypertensive crisis induced by chronic intrarenal norepinephrine infusion, I-177
Mechanism of deterioration in renal function in patients with renovascular hypertension treated with enalapril, I-193
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Report from the Hypertension and Kidney Diseases Branch of the National Heart, Lung, and Blood Institute, I-207
Role of renal hemodynamics and arterial pressure in aldosterone escape, I-183
Separation of peripheral dopamine receptors by a selective DA_1 antagonist, SCH 23390, I-25

Kinin
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46

L

Left ventricle hypertrophy
Brief historical background and principal nature of process, III-1
The coronary circulation in hypertensive heart disease, III-74
Determinants of vascular hemodynamic characteristics, III-13
Different types of smooth muscle hypertrophy, III-64
Functional consequences of structural adaptation of the heart in hypertension, III-58
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hemodynamic and cardiac effects of centrally acting antihypertensive drugs, II-76
Hypertension as a vascular response to injury, III-33
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Left ventricular function in early primary hypertension, III-108
Myocardial cell hypertrophy or hyperplasia, III-38
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Regression of structural cardiovascular changes by antihypertensive therapy, III-133
Reversal of cardiac hypertrophy in humans, III-140
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Structural adaptation in borderline hypertension, III-103
Synthesis of collagen in cardiac and vascular walls, III-44
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128

Leg muscle
Circulatory changes in muscle and skin arteries in primary hypertension, III-122
Regression of structural cardiovascular changes by antihypertensive therapy, III-147

Life style
The main end-points in human hypertension, III-169

Ligand antibodies
Synthesis and characterization of a radioiodinated photoaffinity probe for the $alpha_1$-adrenergic receptor, I-7

Ligand receptors
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40

M

Mass spectrometry
Defective synthesis of vasodilator prostaglandins in the spontaneously hypertensive rat, I-161

Medulla
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40

Melittin
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46

Membrane
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31

Methyldopa
Antihypertensive metabolites of α-methyldopa, II-45
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Changes in brain α-adrenergic receptors after α-methyldopa administration to spontaneously hypertensive rats, II-34
Effect of centrally acting α-andrenergic agonists on sympathetic nervous system function in humans, II-57
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40
Fifteen-year survival of patients beginning treatment with methyldopa between 1962 and 1966, II-82
Hemodynamic and cardiac effects of centrally acting antihypertensive drugs, II-76
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28
In summary: Satellite Symposium on Central α-Adrenergic Blood Pressure Regulating Mechanisms, II-87
New centrally acting antihypertensive drugs related to methyldopa and clonidine, II-51

Methylepinephrine
Antihypertensive metabolites of α-methyldopa, II-45

Methylnorepinephrine
Antihypertensive metabolites of α-methyldopa, II-45
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40

Methyltransferase
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1

Metoclopramide
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40

Microcirculation
Saralasin dilates arterioles in SHR but not WKY rats, I-106
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19

Microvasculature
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19

Middle cerebral artery occlusion
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69

Mineralocorticoid
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119

Mitosis
Myocardial cell hypertrophy or hyperplasia, III-38

MK-421, *see* Enalapril

Monensin
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88

Morbidity
Effects of antihypertensive treatment on prognosis, III-174

Mortality
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198
Effects of antihypertensive treatment on prognosis, III-174
Fifteen-year survival of patients beginning treatment with methyldopa between 1962 and 1966, II-82
The main end-points in human hypertension, III-169
Mouse, *see* Animal studies, mouse
Multiple Risk Factor Intervention Trial (MRFIT)
Effects of antihypertensive treatment on prognosis, III-174
Myocardial infarction, *see* Infarction
Myocardium
The coronary circulation in hypertensive heart disease, III-74
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Myocardial cell hypertrophy or hyperplasia, III-38
Regression of structural cardiovascular changes by antihypertensive therapy, III-133
Myocyte
Myocardial cell hypertrophy or hyperplasia, III-38
Myosin isoenzymes
The inhomogeneity and appropriateness of the myocardial response to stress, III-50

N

Na, K-ATPase
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
National Heart, Lung, and Blood Institute report
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198
Report from the Hypertension and Kidney Diseases Branch of the National Heart, Lung, and Blood Institute, I-207
National Institutes of Health report
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198
Report from the Hypertension and Kidney Diseases Branch of the National Heart, Lung, and Blood Institute, I-207
Natriuresis
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Nephrectomy
Distribution of immunoreactive angiotensin II, angiotensin I, angiotensinogen, and renin in the central nervous system of intact and nephrectomized rats, I-130
Effect of changes in sodium or potassium balance, and nephrectomy, on adrenal renin and aldosterone concentrations, I-124
Nephrosclerosis
Intrarenal arteries in rats with early two-kidney, one clip hypertension, III-87
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Neurons
Antihypertensive metabolites of α-methyldopa, II-45
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28
In summary: Satellite Symposium on Central α-Adrenergic Blood Pressure Regulating Mechanisms, II-87
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Nitroglycerine
Structural changes of large arteries in sustained essential hypertension, III-117
Noradrenergic neurons
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Norepinephrine
Antihypertensive metabolites of α-methyldopa, II-45
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Effect of centrally acting α-andrenergic agonists on sympathetic nervous system function in humans, II-57
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40
Malignant hypertensive crisis induced by chronic intrarenal norepinephrine infusion, I-177
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Regional sources of free and sulfoconjugated catecholamines in hypertension, I-51
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Norepinephrine turnover rate
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Nucleotide sequence
Complementary DNA sequences of renin. State-of-the-art review, I-95
Nucleus tractus solitarius
Antihypertensive metabolites of α-methyldopa, II-45
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40

O

Ornithine decarboxylase
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27
Oslo Study
Effects of antihypertensive treatment on prognosis, III-174
Ouabain
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88
Oxygen consumption
The coronary circulation in hypertensive heart disease, III-74
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hemodynamic effects of antihypertensive drugs, III-163

P

Papillary flow
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Papillary muscle
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Papillary urea concentration
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Peptides
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Peripheral circulation
Saralasin dilates arterioles in SHR but not WKY rats, I-106
Peripheral resistance
Hypertension as a vascular response to injury, III-33
Left ventricular function in early primary hypertension, III-108
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Phenoxybenzamine
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71
Phenylethanolamine N-methyltransferase
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1
Photoaffinity probe
Molecular biology of adrenergic receptors in the rat and frog central nervous system, II-22
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Piribedil
Separation of peripheral dopamine receptors by a selective DA$_1$ antagonist, SCH 23390, I-25
Pituitary gland
Distribution of immunoreactive angiotensin II, angiotensin I, angiotensinogen, and renin in the central nervous system of intact and nephrectomized rats, I-130
Plasma volume
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128
Platelets
Free calcium concentration in platelets closely relates to blood pressure in normal and essentially hypertensive subjects, I-166
Plethysmography
Circulatory changes in muscle and skin arteries in primary hypertension, III-122
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Regression of structural cardiovascular changes by antihypertensive therapy, III-147
Structural adaptation in borderline hypertension, III-103
Polyploidy
Hypertension as a vascular response to injury, III-33
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Population studies
Effects of antihypertensive treatment on prognosis, III-174
The main end-points in human hypertension, III-169
Portal vein
Different types of smooth muscle hypertrophy, III-64
Postsynaptic alpha-adrenergic receptors
The hypotensive activity and side effects of methyldopa, clonidine, and guanfacine, II-28
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Potassium
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Effect of changes in sodium or potassium balance, and nephrectomy, on adrenal renin and aldosterone concentrations, I-124
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Potassium-free solution
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88
Prazosin
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Preeclampsia
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128
Pregnancy
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128
Preload
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128
Prepostglomerular resistance ratio
Consequences of structural renovascular changes for renal barostat function, III-100
Pressor response
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Propanolol
Hemodynamic effects of antihypertensive drugs, III-163
Propylbutyldopamine
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Prorenin
Complementary DNA sequences of renin. State-of-the-art review, I-95
A new form of inactive renin in rat brain. A latent renin, I-137
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101
Prostaglandins
Defective synthesis of vasodilator prostaglandins in the spontaneously hypertensive rat, I-161
Protein
The main end-points in human hypertension, III-169

Q

Quin2
Free calcium concentration in platelets closely relates to blood pressure in normal and essentially hypertensive subjects, I-166

R

Rabbit, *see* Animal studies, rabbit
Radioiodinated analog
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Radioiodinated probe
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Radioligand receptor assays
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40

Rat, *see* Animal studies, rat
Receptors, adrenergic, *see* Adrenergic receptors
Receptors, dopamine
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Recombinant DNA
Complementary DNA sequences of renin. State-of-the-art review, I-95
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1
Referred care
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198
Regional blood flow
Hemodynamic and cardiac effects of centrally acting antihypertensive drugs, II-76
Relaxation
Left ventricular function in early primary hypertension, III-108
Renal arteries
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Renal blood flow
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Separation of peripheral dopamine receptors by a selective DA$_1$ antagonist, SCH 23390, I-25
Renal hemodynamics
Role of renal hemodynamics and arterial pressure in aldosterone escape, I-183
Renal insufficiency
Effects of a specific inhibitor of the vascular action of vasopressin in humans, I-156
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Renal papillae
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Renal plasma flow
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Renal tubules
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170
Renin
Complementary DNA sequences of renin. State-of-the-art review, I-95
Distribution of immunoreactive angiotensin II, angiotensin I, angiotensinogen, and renin in the central nervous system of intact and nephrectomized rats, I-130
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Renin, active
A new form of inactive renin in rat brain. A latent renin, I-137
Renin, adrenal
Effect of changes in sodium or potassium balance, and nephrectomy, on adrenal renin and aldosterone concentrations, I-124
Renin-angiotensin system
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119
Malignant hypertensive crisis induced by chronic intrarenal norepinephrine infusion, I-177
Saralasin dilates arterioles in SHR but not WKY rats, I-106
Renin, inactive
A new form of inactive renin in rat brain. A latent renin, I-137
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101
Renin inhibitors
A new form of inactive renin in rat brain. A latent renin, I-137
Statine-containing renin inhibitor. Dissociation of blood pressure lowering and renin inhibition in sodium-deficient dogs, I-111
Renin, latent
A new form of inactive renin in rat brain. A latent renin, I-137
Renin, mouse submandibular gland
Complementary DNA sequences of renin. State-of-the-art review, I-95
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101
Renin, one-chain
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101
Renin, two-chain
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101
Reserpine
Synthesis of collagen in cardiac and vascular walls, III-44
Response, myocardial
The coronary circulation in hypertensive heart disease, III-74
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Myocardial cell hypertrophy or hyperplasia, III-38
Regression of structural cardiovascular changes by antihypertensive therapy, III-133, III-147, III-150
Retinopathy
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158
Reversibility
Early versus late onset of therapy, III-185
Regression of structural cardiovascular changes by antihypertensive therapy, III-147
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158
Risk factors
Effects of antihypertensive treatment on prognosis, III-174
The main end-points in human hypertension, III-169
RNA
Myocardial cell hypertrophy or hyperplasia, III-38
Synthesis of collagen in cardiac and vascular walls, III-44
RX 781094, *see* Idazoxan

S

Salt, *see* Sodium
Saralasin
Saralasin dilates arterioles in SHR but not WKY rats, I-106
SCH23390
Separation of peripheral dopamine receptors by a selective DA$_1$ antagonist, SCH 23390, I-25
Secretion, aldosterone
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119
Secretion pathways, renin
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101
Serotonergic neurons
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
In summary: Satellite Symposium on Central α-Adrenergic Blood Pressure Regulating Mechanisms, II-87
Serotonin
Bulbospinal serotonin pressor pathways and hypotensive action of methyldopa in the rat, II-16
Central and peripheral autonomic mechanisms involved in the circulatory actions of methyldopa, II-63
Seven Countries Study
The main end-points in human hypertension, III-169
Smooth muscle
Brief historical background and principal nature of process, III-1

Determinants of vascular hemodynamic characteristics, III-13
Different types of smooth muscle hypertrophy, III-64
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Free calcium concentration in platelets closely relates to blood pressure in normal and essentially hypertensive subjects, I-166
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27
Hypertension as a vascular response to injury, III-33
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19

Sodium balance
Effect of changes in sodium or potassium balance, and nephrectomy, on adrenal renin and aldosterone concentrations, I-124
Malignant hypertensive crisis induced by chronic intrarenal norepinephrine infusion, I-177

Sodium depletion
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119
Statine-containing renin inhibitor. Dissociation of blood pressure lowering and renin inhibition in sodium-deficient dogs, I-111

Sodium excretion
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Role of renal hemodynamics and arterial pressure in aldosterone escape, I-183

Sodium intake
Structural changes in resistance and capacitance vessels in borderline hypertension, III-69

Sodium loading
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Defective synthesis of vasodilator prostaglandins in the spontaneously hypertensive rat, I-161
Effects of a specific inhibitor of the vascular action of vasopressin in humans, I-156
Potassium protects against lesions of the renal tubules, arteries, and glomeruli and nephron loss in salt-loaded hypertensive Dahl S rats, I-170

Sodium permeability
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88

Sodium-potassium pump
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88

Spontaneously hypertensive rat
Blood pressure lowering diminishes age-related changes in the rat aortic intima, I-62
Cerebral vascular bed in hypertension and consequences for the brain, III-81
Changes in brain α-adrenergic receptors after α-methyldopa administration to spontaneously hypertensive rats, II-34
Consequences of structural renovascular changes for renal barostat function, III-100
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31
Defective synthesis of vasodilator prostaglandins in the spontaneously hypertensive rat, I-161
Early versus late onset of therapy, III-185
Evidence that disruption of the blood-brain barrier precedes reduction in cerebral blood flow in hypertensive encephalopathy, I-75
Functional consequences of structural adaptation of the heart in hypertension, III-58
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Myocardial cell hypertrophy or hyperplasia, III-38
New centrally acting antihypertensive drugs related to methyldopa and clonidine, II-51
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Regression of structural cardiovascular changes by antihypertensive therapy, III-133
Saralasin dilates arterioles in SHR but not WKY rats, I-106

Statine
Statine-containing renin inhibitor. Dissociation of blood pressure lowering and renin inhibition in sodium-deficient dogs, I-111

Stepped care
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198

Steroidogenesis
Dopamine modulates sodium-dependent aldosterone responses to angiotensin II in humans, I-119

Stress
Brief historical background and principal nature of process, III-1
Determinants of vascular hemodynamic characteristics, III-13
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hypertension as a vascular response to injury, III-33
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Left ventricular function in early primary hypertension, III-108
Myocardial cell hypertrophy or hyperplasia, III-38
Regression of structural cardiovascular changes by antihypertensive therapy, III-133

Stroke
Effects of various drug regimens, III-179
The main end-points in human hypertension, III-169

Stroke-prone rat
Cerebral vascular bed in hypertension and consequences for the brain, III-81
Evidence that disruption of the blood-brain barrier precedes reduction in cerebral blood flow in hypertensive encephalopathy, I-75
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69

Structure, cardiovascular
Blood pressure lowering diminishes age-related changes in the rat aortic intima, I-62
Brief historical background and principal nature of process, III-1
Cerebral vascular bed in hypertension and consequences for the brain, III-81
Circulatory changes in muscle and skin arteries in primary hypertension, III-122
Consequences of structural renovascular changes for renal barostat function, III-100
The coronary circulation in hypertensive heart disease, III-74
Determinants of vascular hemodynamic characteristics, III-13
Different types of smooth muscle hypertrophy, III-64
Early versus late onset of therapy, III-185
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Effects of antihypertensive treatment on prognosis, III-174
Effects of various drug regimens, III-179
Evidence that disruption of the blood-brain barrier precedes reduction in cerebral blood flow in hypertensive encephalopathy, I-75
Functional consequences of structural adaptation of the heart in hypertension, III-58
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88
Hemodynamic effects of antihypertensive drugs, III-163

Humoral trophic influence on cardiovascular structural changes in hypertension, III-27
Hypertension as a vascular response to injury, III-33
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Left ventricular function in early primary hypertension, III-108
The main end-points in human hypertension, III-169
Myocardial cell hypertrophy or hyperplasia, III-38
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69
Pathophysiology and clinical implications of early structural changes, III-iii
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Regression of structural cardiovascular changes by antihypertensive therapy, III-133, III-147
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158
Reversal of cardiac hypertrophy in humans, III-140
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Structural adaptation in borderline hypertension, III-103
Structural cardiovascular adaptation and the consequences for baroreflexes, III-93
Structural changes in resistance and capacitance vessels in borderline hypertension, III-69
Structural changes of large arteries in sustained essential hypertension, III-117
Synthesis of collagen in cardiac and vascular walls, III-44
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128

Structure, renovascular
Consequences of structural renovascular changes for renal barostat function, III-100
Structural cardiovascular adaptation and the consequences for baroreflexes, III-93

Structure, renin
Complementary DNA sequences of renin. State-of-the-art review, I-95
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101

Submandibular gland
Complementary DNA sequences of renin. State-of-the-art review, I-95
Purification and characterization of one-chain and two-chain renins from mouse submandibular gland, I-101

Sudden coronary death
The main end-points in human hypertension, III-169

Sulfhydryl
A new form of inactive renin in rat brain. A latent renin, I-137

Survival
Effect of stepped care treatment on the incidence of myocardial infarction and angina pectoris. 5-year findings of the Hypertension Detection and Follow-Up Program, I-198
Fifteen-year survival of patients beginning treatment with methyldopa between 1962 and 1966, II-82

Sympathetic nervous system
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Cerebral vascular bed in hypertension and consequences for the brain, III-81
Cerebrospinal fluid kinins and cardiovascular function: effects of cerebroventricular melittin, I-46
Changes in brain α-adrenergic receptors after α-methyldopa administration to spontaneously hypertensive rats, II-34
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31
SHR, I-31
Effect of centrally acting α-andrenergic agonists on sympathetic nervous system function in humans, II-57
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Regional sources of free and sulfoconjugated catecholamines in hypertension, I-51
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Separation of peripheral dopamine receptors by a selective DA$_1$ antagonist, SCH 23390, I-25
Synthesis and characterization of a radioiodinated photoaffinity probe for the alpha$_1$-adrenergic receptor, I-7
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71

Symposium on Central Alpha-Adrenergic Blood Pressure Regulating Mechanisms
In summary: Satellite Symposium on Central α-Adrenergic Blood Pressure Regulating Mechanisms, II-87

Systolic function
Regression of structural cardiovascular changes by antihypertensive therapy, III-133
Structural changes of large arteries in sustained essential hypertension, III-117

T

Tail arteries
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12

Therapy, *see* Antihypertensive actions

Thiazide
Effects of various drug regimens, III-179

Thymidine
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27

Tiamenidine
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71

Tilt response
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128

Tissue culture
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27

Tractus solitarius
Antihypertensive metabolites of α-methyldopa, II-45
Brain stem catecholamine mechanisms in tonic and reflex control of blood pressure, II-7
Effects of α-methyldopa metabolites on amine transmitters and adrenergic receptors in rat brain, II-40

Transition state analog
Statine-containing renin inhibitor. Dissociation of blood pressure lowering and renin inhibition in sodium-deficient dogs, I-111

Transmembrane ionic transport
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27

Trophic effects
The coronary circulation in hypertensive heart disease, III-74
Different types of smooth muscle hypertrophy, III-64
Humoral trophic influence on cardiovascular structural changes in hypertension, III-27
Left ventricular function in early primary hypertension, III-108
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Regression of structural cardiovascular changes by antihypertensive therapy, III-133, III-147

Reversal of cardiac hypertrophy in humans, III-140
Structural adaptation in borderline hypertension, III-103
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128
Tubular reabsorption
Role of renal hemodynamics and arterial pressure in aldosterone escape, I-183
Tyrosine hydroxylase
Molecular biology of catecholamine neurons: similar gene hypothesis, II-1

U

United States Pooling Project
The main end-points in human hypertension, III-169
Urea
Dahl S rats have increased natriuretic factor in atria but are markedly hyporesponsive to it, I-148
Uremia
Effects of various drug regimens, III-179
Uterus
Different types of smooth muscle hypertrophy, III-64

V

Vascular damage
Effects of various drug regimens, III-179
Vascular reactivity
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Blood pressure lowering diminishes age-related changes in the rat aortic intima, I-62
Consequences of structural renovascular changes for renal barostat function, III-100
Determinants of vascular hemodynamic characteristics, III-13
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Effects of a specific inhibitor of the vascular action of vasopressin in humans, I-156
Evidence that disruption of the blood-brain barrier precedes reduction in cerebral blood flow in hypertensive encephalopathy, I-75
Functional evidence for increased sodium permeability in aortas from DOCA hypertensive rats, I-88
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Intrarenal arteries in rats with early two-kidney, one clip hypertension, III-87
Left ventricular function in early primary hypertension, III-108
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69
Regression of structural cardiovascular changes by antihypertensive therapy, III-133, III-147, III-150
Retinal regression of structural cardiovascular changes by antihypertensive therapy, III-158
Smooth muscle proliferation in hypertension. State-of-the-art lecture, I-56
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Vascular resistance
Determinants of vascular hemodynamic characteristics, III-13
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Regression of structural cardiovascular changes by antihypertensive therapy, III-133, III-147
Structural adaptation in borderline hypertension, III-103
Structural changes in resistance and capacitance vessels in borderline hypertension, III-69
Vasoconstriction
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Regression of structural cardiovascular changes by antihypertensive therapy, III-133, III-147
Regulation of alpha$_1$-adrenergic receptor-coupled calcium flux in cultured vascular smooth muscle cells, I-19
Vasodilation
Atrial natriuretic factor inhibits angiotensin-, norepinephrine-, and potassium-induced vascular contractility, I-143
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Circulatory changes in muscle and skin arteries in primary hypertension, III-122
Consequences of structural renovascular changes for renal barostat function, III-100
Defective synthesis of vasodilator prostaglandins in the spontaneously hypertensive rat, I-161
Propylbutyldopamine. Mechanism of blood pressure lowering in hypertensive patients, I-40
Regression of structural cardiovascular changes by antihypertensive therapy, III-133, III-147
Structural changes in resistance and capacitance vessels in borderline hypertension, III-69
Vasopressin antagonist
Effects of a specific inhibitor of the vascular action of vasopressin in humans, I-156
Venous distensibility
Structural changes in resistance and capacitance vessels in borderline hypertension, III-69
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128
Ventricular function
Brief historical background and principal nature of process, III-1
Determinants of vascular hemodynamic characteristics, III-13
Different types of smooth muscle hypertrophy, III-64
Functional consequences of structural adaptation of the heart in hypertension, III-58
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hemodynamic and cardiac effects of centrally acting antihypertensive drugs, II-76
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Left ventricular function in early primary hypertension, III-108
Regression of cardiovascular structural changes by antihypertensive treatment, III-150
Regression of structural cardiovascular changes by antihypertensive therapy, III-133, III-147
Reversal of cardiac hypertrophy in humans, III-140
Trophic effects of peripheral adrenergic nerves on vascular structure, III-19
Vascular, volume, and cardiac response to normal and hypertensive pregnancy, III-128
Veterans Administration Study
Effects of antihypertensive treatment on prognosis, III-174
Effects of various drug regimens, III-179
Volume expansion
Effect of ouabain on arteriolar responses to norepinephrine in chronic, benign, volume-expanded hypertension, I-82
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Myocardial cell hypertrophy or hyperplasia, III-38

W

Wall
Brief historical background and principal nature of process, III-1
The coronary circulation in hypertensive heart disease, III-74
Determinants of vascular hemodynamic characteristics, III-13
Functional dynamics of the left ventricle in hypertensive hypertrophy and failure, III-4
Hypertension as a vascular response to injury, III-33
The inhomogeneity and appropriateness of the myocardial response to stress, III-50
Left ventricular function in early primary hypertension, III-108
Myocardial cell hypertrophy or hyperplasia, III-38
Regression of structural cardiovascular changes by antihypertensive therapy, III-133, III-147, III-150
Structural adaptation in borderline hypertension, III-103
Water balance
Malignant hypertensive crisis induced by chronic intrarenal norepinephrine infusion, I-177
Wistar-Kyoto rat
Blood pressure lowering diminishes age-related changes in the rat aortic intima, I-62
Central and peripheral indices of sympathetic activity after blood pressure lowering with enalapril (MK-421) or hydralazine in normotensive rats, I-1
Changes in brain α-adrenergic receptors after α-methyldopa administration to spontaneously hypertensive rats, II-34
Decreased isoproterenol-induced down regulation of beta-adrenergic receptors in the myocardium of SHR, I-31
Outcomes to middle cerebral artery occlusion in hypertensive and normotensive rats, I-69
Postsynaptic alpha$_2$-adrenergic receptor-mediated vasosconstriction in SHR tail arteries in vitro, I-12
Saralasin dilates arterioles in SHR but not WKY rats, I-106
Withdrawal reactions
Withdrawal reactions following cessation of central α-adrenergic receptor agonists, II-71

Correction to Figure Legends in November-December 1983 Supplement

Legends in the following paper (Schiffrin EL, Thomé FS, Genest J. Vascular Angiotensin II Receptors in Renal and DOCA-Salt Hypertensive Rats. Hypertension 1983;5(Suppl V):V-16–V-21) should have read as follows:



FIGURE 1. *Scatchard plots of data from saturation binding isotherms (0.06–2 nM ^{125}I-angiotensin II) from experiments performed simultaneously on receptor protein from two-kidney, one clip hypertensive rats, 4 weeks after the development of hypertension, and two-kidney, one clip rats that had not developed hypertension (controls). Results are means of duplicates in a representative experiment.*



FIGURE 2. *Scatchard plots of data from saturation binding isotherms (as in fig. 1) performed simultaneously on receptor protein from DOCA-salt hypertensive rats, 2 weeks after implantation of DOCA-impregnated silicone rubber and uninephrectomy, uninephrectomized rats receiving 1% NaCl or drinking tap water. The two latter groups were implanted with silicone rubber without DOCA. Results are means of duplicates in a representative experiment.*